

# Product data sheet

Specifications



## APC NetShelter Cable Management, Data Cable Partition, Black, 579 x 122 x 71 mm

AR8162ABLK

### Overview

**Presentation** The solid Partition allows overhead routing of networking cables on top of the NetShelter enclosures and 4-post racks. Two partitions attach without tools to the roof in a variety of depths. The solid partition is designed to be mounted in the front for a clean look. Each partition ships with ground studs and one 8 inch/203mm grounding strap.

**Lead time** Usually in Stock

### Main

**Product or Component Type** Cable organizer

**Number of cables** 1

**Provided equipment** Installation guide  
1 x 8 inch/20cm grounding strap

### Physical

**Color** Black

**Height** 4.8 in (122 mm)

**Width** 22.8 in (579 mm)

**Depth** 2.8 in (71 mm)

**Net Weight** 4.01 lb(US) (1.82 kg)

**Mounting preference** No preference

**Mounting Mode** Not rack-mountable

### Ordering and shipping details

**GTIN** 731304194842

### Packing Units

**Unit Type of Package 1** PCE

**Nbr. of units in pkg.** 1

**Package 1 Height** 8.0 in (20.3 cm)

**Package 1 Width** 7.008 in (17.8 cm)

**Package 1 Length** 24.02 in (61 cm)

**Package weight(Lbs)** 6.02 lb(US) (2.73 kg)

### Contractual warranty

**Warranty (in months)** 24

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	10 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	9 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture


Recyclability potential, in %	95
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---



