

Product data sheet

Specifications



APC NetShelter Cable Management, Data Cable Partition, Pass Through, Black, 747 x 122 x 72 mm

AR8173BLK

Overview

Presentation The pass-through Partition allows overhead routing of networking cables on top of the NetShelter enclosures and 4-post racks. Two Partitions attach without tools to the roof in a variety of depths. The pass-through Partition is designed with a cable access hole to facilitate routing cables. Each partition ships with ground studs and one 8 inch/203mm grounding strap.

Lead time Usually in Stock

Main

| | |
|----------------------------------|---|
| Product or Component Type | Cable organizer |
| Number of rack unit | 0U |
| Number of cables | 1 |
| Provided equipment | Installation guide 1 x 8 inch/20cm grounding strap |

Physical

| | |
|----------------------------|------------------------|
| Color | Black |
| Height | 4.8 in (122 mm) |
| Width | 29.4 in (747 mm) |
| Depth | 2.8 in (72 mm) |
| Net Weight | 5.004 lb(US) (2.27 kg) |
| Mounting preference | No preference |
| Mounting Mode | Not rack-mountable |

Ordering and shipping details

GTIN 731304199175

Packing Units

| | |
|-------------------------------|-----------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 8.3 in (21.1 cm) |
| Package 1 Width | 6.5 in (16.5 cm) |
| Package 1 Length | 29.3 in (74.4 cm) |
| Package weight(Lbs) | 8.02 lb(US) (3.64 kg) |

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|----------------|
| Total lifecycle Carbon footprint | 13 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 12 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.3 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 0.3 kg CO2 eq. |

Use Better



Materials and Substances

| | |
|--|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|-------------------------------|--|
| Recyclability potential, in % | 95 |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Image of product / Alternate images

Alternative

