

# Product data sheet

Specifications



## APC Replacement Battery Cartridge #32

RBC32

Product availability: Non-Stock - Not normally stocked in distribution facility

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Replacement battery cartridge

Battery Type Lead-Acid battery

Provided Equipment  
All required connectors  
Battery recycling guide  
Reusable packaging  
Installation guide

### Batteries & Runtime

Battery Placement Internal Battery

Battery blocks per string 2

Battery Slots Empty 0

Included Battery Modules 0

Device mounting Enclosed battery cabinet

Battery Voltage 24 V

RBC Quantity 1

### Physical

Color Charcoal

Height 7.8 in (197 mm)

Width 5.9 in (149 mm)

Depth 2.5 in (64 mm)

Net Weight 11.75 lb(US) (5.33 kg)

Mounting Mode Not rack-mountable

### Output

Battery Capacity 7.0 Ah

### Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Operating altitude 0...50000 ft

Relative Humidity 0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Ambient Air Temperature for Storage</b>	32...104 °F (0...40 °C)
<b>Storage altitude</b>	0...10000 ft (0...3048 m)
<b>Storage Relative Humidity</b>	0...95 %

---

## Ordering and shipping details

---

<b>Category</b>	11309 - APC RESALE PRODUCTS
<b>GTIN</b>	731304219088
<b>Returnability</b>	No

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	12.008 in (30.5 cm)
<b>Package 1 Width</b>	4.02 in (10.2 cm)
<b>Package 1 Length</b>	9.02 in (22.9 cm)
<b>Package weight(Lbs)</b>	13.03 lb(US) (5.91 kg)

---

## Contractual warranty

---

<b>Warranty (in months)</b>	24
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	38 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	20 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.9 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.5 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	2 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	15 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	1
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	Nej
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---



Image of product in real life situation

