

# Product data sheet

Specifications



## APC SYMMETRA LX 9 BATTERY TOWER XR FRAME, 230V

SYBFXR9I

### Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually Ships within 2 Weeks

### Main

Product or Component Type	Battery accessory
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide User Manual
Range of Product	Symmetra Battery Systems

### Batteries & Runtime

Battery Placement	Battery Cabinet
Battery Slots Empty	9
Included Battery Modules	0
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
Battery Voltage	120 V
RBC Quantity	9

### Physical

Color	Black
Height	23.7 in (602 mm)
Width	19.02 in (483 mm)
Depth	28.6 in (726 mm)
Net Weight	192.40 lb(US) (87.27 kg)
Mounting Mode	Not rack-mountable

### Conformance

Standards	EN 50091-1 EN 50091-2 EN 60950 IEC 60950
-----------	---

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Product Certifications</b>	BSMI VCCI VDE
-------------------------------	---------------------

---

## Environmental

---

<b>Ambient Air Temperature for Operation</b>	32...104 °F (0...40 °C)
<b>Operating altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 %
<b>Ambient Air Temperature for Storage</b>	5...113 °F (-15...45 °C)
<b>Storage altitude</b>	0...15000 ft (0...4572 m)
<b>Storage Relative Humidity</b>	0...95 %

---

## Ordering and shipping details

---

<b>GTIN</b>	731304221715
-------------	--------------

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	36.0 in (91.4 cm)
<b>Package 1 Width</b>	39.3 in (99.7 cm)
<b>Package 1 Length</b>	23.6 in (59.9 cm)
<b>Package weight(Lbs)</b>	262.55 lb(US) (119.09 kg)

---

## Contractual warranty

---

<b>Warranty (in months)</b>	24
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	308 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	278 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	7 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	9 540 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	6 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	66
Circularity Profile	<a href="#">End of Life Information</a>
Removable battery	User replaceable
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---



