

Product data sheet

Specifications



Airflow Management Blanking Panel Kit (1U, 2U, 4U, 8U) Black

AR8101BLK



Overview

Presentation	Airflow Management Blanking Panel Kit of 1U, 2U, 4U, 8U panels to prevent air recirculation by occupying unused rack space. (Qty. 1 each size).
Lead time	Usually in Stock

Main

Number of rack unit	15U
Number of cables	1
Provided equipment	Mounting Hardware 1 x 1U and 2U and 4U and 8U panel

Physical

Color	Black
Width	19.02 in (483 mm)
Depth	0.1 in (3 mm)
Net Weight	6.04 lb(US) (2.74 kg)
Mounting Location	Front
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	EIA-310D
------------------	----------

Ordering and shipping details

GTIN	731304107873
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.5 in (3.8 cm)
Package 1 Width	14.5 in (36.8 cm)
Package 1 Length	23.5 in (59.7 cm)
Package weight(Lbs)	7.54 lb(US) (3.42 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	12 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	11 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.3 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.