

Product data sheet

Specifications



APC NetShelter Specialty Enclosures, Seismic Enclosure, 42U, without sides, Black

AR2145BLK

Overview

Lead time Special Order - Call for Quoted Lead Times

Main

Product or Component Type	Rack enclosure
Number of rack unit	42U
Number of cables	1
Provided equipment	Doors Roof User Manual Key(s)

Physical

Height	81.5 in (2070 mm)
Width	23.0 in (584 mm)
Depth	42.2 in (1072 mm)
Net Weight	432.90 lb(US) (196.36 kg)
Color	Black
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	36.8 in (934 mm)
Rack Width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof
Permanent permissible load	1000 lb(US) (453.6 kg) static

Conformance

Standards	NEBS GR-63-CORE (Seismic Zone 4) EIA-310E
-----------	--

Ordering and shipping details

GTIN	731304205203
------	--------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Nbr. of units in pkg.	1
Package 1 Height	87.008 in (221 cm)
Package 1 Width	47.5 in (120.7 cm)
Package 1 Length	29.5 in (74.9 cm)
Package weight(Lbs)	471.00 lb(US) (213.64 kg)

Contractual warranty

Warranty (in months)	60
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	750 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	716 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	18 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	16 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative



