

# Product data sheet

Specifications



## APC NetShelter Cable Management, Vertical Cable Manager, for NetShelter SX 750mm Wide 48U, 97 x 2184 x 160 mm

AR7588

### Overview

<b>Presentation</b>	The vertical channels have smooth plastic fingers at 1U increments to allow patch cords to enter and exit in an organized manner.
<b>Lead time</b>	Usually in Stock

### Main

<b>Product or Component Type</b>	Cable organizer
<b>Provided equipment</b>	Installation guide Mounting Hardware 6 x Cable retainers with snap hinges

### Physical

<b>Color</b>	Black
<b>Height</b>	86.0 in (2184 mm)
<b>Width</b>	3.8 in (97 mm)
<b>Depth</b>	6.3 in (160 mm)
<b>Net Weight</b>	11.62 lb(US) (5.27 kg)
<b>Mounting Location</b>	Front Rear
<b>Mounting preference</b>	No preference
<b>Mounting Mode</b>	Rack-mounted

### Conformance

<b>Product Certifications</b>	TAA compliance
-------------------------------	----------------

### Ordering and shipping details

<b>GTIN</b>	731304301004
-------------	--------------

### Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	8.0 in (20.3 cm)
<b>Package 1 Width</b>	43.0 in (109.2 cm)
<b>Package 1 Length</b>	6.5 in (16.5 cm)
<b>Package weight(Lbs)</b>	12.63 lb(US) (5.73 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Contractual warranty

---

Warranty (in months)

24



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	20 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	19 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.4 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---





