Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC SmartSlot Triple Chassis Black

AP9604BLK



Overview

Presentation	UPS management accessory that provides three additional SmartSlot interfaces to your APC SmartSlot UPS.
Lead time	Usually in Stock

Main

Provided Equipment	DB9-DB9 cable Rack Mounting brackets User Manual
Number of cables	1

General

Power supply type Self powered via UPS interface port

Physical

Color	Black	
Net Weight	4.21 lb(US) (1.91 kg)	
Width	17.01 in (43.2 cm)	
Height	1.73 in (4.4 cm)	
Depth	6.50 in (16.5 cm)	
Mounting Location	Front	
Mounting Mode	Rack-mounted	
Mounting preference	No preference	

Conformance

Standards	EN 55022 Class A EN 55024 EN 55082 FCC Part 15 class A
Product Certifications	C-tick CE DOC/Industry Cananda

Environmental

Storage Relative Humidity	095 %	
Relative Humidity	095 %	
Ambient Air Temperature for	5149 °F (-1565 °C)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient air temperature for 32113 °F (045 °C) operation	
Storage altitude 050000 ft (0.000000000015240.0000000000 m)	
Operating altitude	010000 ft

Ordering and shipping details

GTIN 731304205111

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure Product Environmental Profile

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
Optimized Energy Efficiency	Energy efficient product	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information