

Product data sheet

Specifications



APC NetShelter Cable Management, Vertical Cable Manager, for NetShelter SX 750mm Wide 45U, Set of 2, 97 x 1981 x 160 mm

AR7585

Overview

Presentation	The vertical channels have smooth plastic fingers at 1U increments to allow patch cords to enter and exit in an organized manner.
Lead time	Usually in Stock

Main

Product or Component Type	Cable organizer
Provided equipment	Installation guide Mounting Hardware 6 x Cable retainers with snap hinges Top securing bracket

Physical

Color	Black
Height	78.0 in (1981 mm)
Width	3.8 in (97 mm)
Depth	6.3 in (160 mm)
Net Weight	11.42 lb(US) (5.18 kg)
Mounting Location	Front Rear
Mounting preference	No preference
Mounting Mode	Rack-mounted

Conformance

Product Certifications	TAA compliance
-------------------------------	----------------

Ordering and shipping details

GTIN	731304300984
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8.071 in (20.500 cm)
Package 1 Width	6.299 in (16.000 cm)
Package 1 Length	39.370 in (100.000 cm)
Package weight(Lbs)	11.905 lb(US) (5.400 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 2	P12
Number of Units in Package 2	8
Package 2 Height	20.866 in (53.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	123.900 lb(US) (56.200 kg)

Contractual warranty

Warranty (in months)	24
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	19 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	18 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.4 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative









