

# APC NetShelter 12U Wallmount Rack Cabinet Single Hinged Server Depth Unassembled

AR112

### Overview

Presentation

Ideal for retail, healthcare, and educational facilities, the wall rack offers an efficient solution for deploying server and networking equipment for edge computing applications. For areas with limited floor space. Designed to house your server, as well as network solutions such as network switches and patch panels. Rack hinges at the rear allowing for access to the back of the rack during installation and setup or while undergoing maintenance. The door is reversible allowing for the door to open direction desired to avoid interference with its surroundings. Optional 120V fan tray top-mounted and caster kit. Several APC Smart-UPS models low-profile provide easy UPS integration and mounting. 12U Wall mount cabinet, 16.8 to 20.8 inches mounting depth, 200lb weight capacity, 19" rack width, ships unassembled, 5 year APC warranty.

Lead time

Usually in Stock

### Main

Product or Component Type	Rack enclosure
Number of rack unit	12U

## **Physical**

Height	24.41 in (62 cm)
Width	23.58 in (59.9 cm)
Depth	23.58 in (59.9 cm)
Net Weight	40.30 lb(US) (18.28 kg)
Color	Black
Mounting Support	Wall
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	20.80 in (52.83 cm)
minimum mounting depth	16.80 in (42.67 cm)
Rack Width	19"
Permanent permissible load	200 lb(US) (90.7 kg) static

### Conformance

Standards EIA-310E

# Ordering and shipping details

**GTIN** 731304317289

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.54 in (29.3 cm)
Package 1 Width	26.89 in (68.3 cm)
Package 1 Length	27.09 in (68.8 cm)
Package 1 Weight	50.99 lb(US) (23.13 kg)

# **Contractual warranty**

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	70	

#### **Use Better**

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

## Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes