

# Product data sheet

Specifications



## Side Airflow Duct Kit for Cisco Nexus® 7009, 750mm Wide Enclosures

AR7725

### Overview

<b>Presentation</b>	The Side Airflow Duct Kit directs cool air from the front of the enclosure into the intake of side airflow networking switch - Cisco Nexus 7009. Air is directed by two, 3U ducts, mounted in the u-space of the enclosure directly above and below the equipment and a side baffle is used to maintain adequate separation of hot and cold aisles.
<b>Lead time</b>	Usually in Stock

### Main

<b>Number of rack unit</b>	6U
<b>Provided equipment</b>	Foam gasket strips Installation guide Mounting Hardware Side airflow ducts Side baffles

### Physical

<b>Color</b>	Black
<b>Height</b>	10.4 in (26.5 cm)
<b>Width</b>	22.9 in (58.1 cm)
<b>Depth</b>	23.3 in (59.1 cm)
<b>Net Weight</b>	34.22 lb(US) (15.52 kg)
<b>Mounting Location</b>	Front
<b>Mounting preference</b>	No preference
<b>Mounting Mode</b>	Not rack-mountable
<b>Rack Width</b>	19"

### Ordering and shipping details

<b>GTIN</b>	731304311317
-------------	--------------

### Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	12.2 in (31 cm)
<b>Package 1 Width</b>	25.0 in (63.5 cm)
<b>Package 1 Length</b>	27.2 in (69 cm)
<b>Package weight(Lbs)</b>	41.2 lb(US) (18.7 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Contractual warranty

---

Warranty (in months)

24



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	66 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	63 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	1 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.