

#### GUD3C03

# USB-C Docking Station with Power Pass-Thru

Full-sized Productivity in a Compact Design Built with high-grade aluminum, this stylish docking station will fit beautifully into your minimalistic desktop space, backpack or purse.







#### **Features**

- Full-sized productivity in a compact design
- Affordably connect up to 8 devices
- 4K Ultra HD (UHD)
- SD and Micro SD card reader built-in
- Use your USB-C power supply Charge your laptop up to 45W
- Works with the new USB-C iPad Pro under mirror-mode

\* Power pass-through requires USB-C charger from your laptop. A total of up to 45W can be charged to the laptop after deduction of 15W is used by the dock. \*\* Pass-thru power delivered to the laptop is dependent upon the capacity of your USB-C power supply. Ex. If your USB-C power supply is 60W, then the maximum power can be delivered to the laptop is 60W-15W = 45W. Regardless of the capacity of your USB-C power supply, the maximum power can be delivered to your laptop is 45W. \*\*\* When using the HDMI/VGA ports, only one video output is supported at a time (either VGA or HDMI) \*\*\*\* When using the MiniDP/VGA ports, only one video output is supported at a time (either VGA or MiniDP) \*\*\*\*\* For best video performance direct connections are recommended. Adapters and converters are not guaranteed to function properly.

#### Requirements

- System Requirements
- USB-C compatible laptops with DP Alt-Mode support
- USB-C AC Adapter from Laptop is needed for Power Delivery Pass-Through Function
- Only one additional video output can be utilized for extended desktop using Mac OS
- For dual screen extended desktop in Windows, you must use HDMI with DisplayPort
- When VGA output is utilized, only one additional extended desktop screen will be available
- Compatible with USB-C and Thunderbolt 3 laptop
- For Windows OS: dual screen extended desktop can only configured though both HDMI and Mini DisplayPort\*

#### **Package Contents**

- 1 x USB-C Docking Station
- 1 x Quick Start Guide
- 1 x Warranty Card

## www.iogear.com



 For Mac OS: dual screen is operate in mirror mode via HDMI and Mini DisplayPort\*

\* Mini DisplayPort is not compatible with Thunderbolt 2 port, and the docking station will not work with Thunderbolt 2 display \*\* For best video performance, it is recommended to have direct connection between your external displays and the docking station, without using an adapter between the docking station and the display or video cables \*\*\* Kindly note that for iPad pro, mouse or trackpad device will not work due to the lack of mouse pointer location in iPad

#### **Operating System Requirements**

Windows 10 Mac OS X 10.10.5+ (MST is not supported by Mac OS) Google Chrome OS  $\,$ 



### **Specifications**

FUNCTION	GUD3C03
Upstream Port	
USB-C	Built-in USB 3.1 Type-C cable
Downstream Port	
HDMI	1x HDMI port (v.1.4 spec compliant, up to 3840x2160@30Hz)
Mini DisplayPort	1x miniDisplayPort port (v.1.2 spec compliant, up to 3840x2160@30Hz)
VGA	1x VGA port (up to 1920x1200@60Hz)
Ethernet	1x Gigabit Ethernet port
USB-A	3x USB 3.0 A ports, 1 port with BC1.2 charging
USB-C	1x USB-C port for Power pass-through only
Card Reader	Supports SD/SDHC/SDXC @ UHS-I class, MMC
Audio	1 x 3.5mm (in/out shared)
Power	
Power Pass-Thru	60W (A total of up to 45W can be charged to the laptop after deduction of max 15W used by the dock)
Operating System Requirements	
Windows	Windows 7/8/8.1/10
Mac	Mac OS X 10.10.5+
DIMENSIONS	GUD3C03
Unit Dimensions	
Height	0.47" (1.2cm)
Length	4.7" (12cm)
Depth	4.7" (12cm)
Inner Pack	
Height	7.5" (19cm)
Length	6.7" (17cm)
Width	5.1" (13cm)
Inner Pack Qty.	6
Unit Package Dimensions	
Height	0.79" (2cm)
Length	6.3" (16cm)
Depth	7" (18cm)
Master Carton	
Height	11" (28cm)

# www.iogear.com



DIMENSIONS	GUD3C03
Width	14" (36cm)
Depth	8.3" (21cm)
Master Carton Qty.	24
Weight	
Master Carton Wt.	17.2 lb (7.8kgs)
Inner Pack Wt.	4.2 lb (1.9kgs)
Unit Pack Wt.	0.65 lb (0.3kgs)
Unit Wt.	0.5 lb (0.23kgs)