

Product data sheet

Specifications



APC Smart-UPS XL Extended Run Battery Pack 48V, VRLA, rackmount, 2U

SUM48RMXLBP2U

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Product or Component Type	Battery
Number of rack unit	2U
Number of cables	1
Battery Type	VRLA
Provided equipment	Installation guide User Manual
Range of Product	Smart-UPS Battery Systems

Batteries & Runtime

Included Battery Modules	2
Battery Slots Empty	0
RBC Quantity	2
Additional information	Also GS Portalac Vendor
Replacement battery	RBC43

Physical

color	Black
Height	3.39 in (8.6 cm)
Width	17.01 in (43.2 cm)
Depth	26.69 in (67.8 cm)
Net Weight	131.29 lb(US) (59.55 kg)
Mounting preference	No preference
Mounting Mode	Rack-mounted
Two post mountable	0
USB compatible	No

Output

Topology	Line Interactive
----------	------------------

Environmental

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	23...113 °F (-5...45 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...30000 ft (0.0000000000...9144.0000000000 m)

Ordering and shipping details

GTIN	731304224587
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.84 in (25 cm)
Package 1 Width	23.46 in (59.6 cm)
Package 1 Length	38.58 in (98 cm)
Package 1 Weight	152.32 lb(US) (69.09 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	8
Package 2 Height	46.06 in (117 cm)
Package 2 Width	39.37 in (100 cm)
Package 2 Length	47.24 in (120 cm)
Package 2 Weight	1216.0003 lb(US) (551.568 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	316
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes