

Product data sheet

Specifications



APC NetShelter Pod Containment, Door Frame, 3 to 4 ft Aisle

FS-DR-2003-B

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Product or Component Type	Door frame
---------------------------	------------

Physical

Depth	79.5 in (2020 mm)
Height	25.6 in (650 mm)
Net Weight	299.8 lb(US) (136 kg)
Width	17.1 in (435 mm)

Conformance

Product Certifications	cUL Listed CE UL Listed
------------------------	-------------------------------

Ordering and shipping details

GTIN	731304342083
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	36.5 in (92.7 cm)
Package 1 Width	81.9 in (208 cm)
Package 1 Length	21.9 in (55.5 cm)
Package weight(Lbs)	299.8 lb(US) (136 kg)

Contractual warranty

Warranty (in months)	12
----------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	477 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	456 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	12 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	10 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Take-back	No

Image of product / Alternate images

Alternative

