

APC Smart-UPS Charge Mobile Battery for Microsoft Surface Hub 2S & Surface Hub 3

APC Smart-UPS Charge Mobile Battery is a lithium-ion battery system designed to

CSH2

Overview

Presentation

	power Microsoft Surface Hub 2S and Surface Hub 3 on-the-go, so you stay connected regardless of the location.
Lead time	Usually in Stock
Main	
Main Input Voltage	100 V 120 V 230 V
Product or Component Type	Battery
Input Connection Type	IEC 60320 C13
Battery Type	Li-lon (Lithium lon)
Provided Equipment	DC Cable Detachable IEC C13 to IEC C14 power cord Screw set User Manual USB cable
Range of Product	Smart-UPS Battery Systems

Batteries & Runtime

Included Battery Modules	1
Battery Slots Empty	0

Physical

Height	16.9 in (429.3 mm)
Width	11 in (279.4 mm)
Depth	3.5 in (88.9 mm)
Net Weight	22 lb(US) (10.0 kg)
Mounting Mode	Not rack-mountable
USB compatible	Yes

Input

Input Frequency	40 - 70 Hz	

Conformance

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Product Certifications	California (CEC) Battery Charger CE cTUVus UN 38.3
Standards	FCC Part 15 class A

Environmental

Ambient air temperature for operation	32104 °F (040 °C)
Relative Humidity	085 %
Ambient Air Temperature for Storage	-4140 °F (-2060 °C)
Storage Relative Humidity	095 % non-condensing

Ordering and shipping details

GTIN 731304402763

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.9 in (429.3 mm)
Package 1 Width	3.5 in (88.9 mm)
Package 1 Length	11 in (279.4 mm)
Package 1 Weight	27.47 lb(US) (12.46 kg)

Contractual warranty

Warranty 3 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Removable battery	User replaceable	
Take-back	No	