

# Product data sheet

Specifications



## APC NetShelter SX, Server Rack Enclosure, 12U, Black, 658H x 600W x 1070D mm [TAA]

AR3103

### Overview

**Presentation** An industry-standard rack with the most standard features for speed of deployment and installation. Ready for low to medium density edge computing. Shorter height allows for deployment underneath cabinets, desks, in remote office branch office spaces for a secure and discrete solution for IT devices.

**Lead time** Usually in Stock

### Main

**Product or Component Type** Rack enclosure

**Number of rack unit** 12U

**Provided equipment** Casters  
Door  
Key(s)  
Leveling feet  
Roof  
Side Panels

### Physical

**Height** 25.9 in (658 mm)

**Width** 23.6 in (600 mm)

**Depth** 42.1 in (1070 mm)

**Net Weight** 130.007 lb(US) (58.97 kg)

**Color** Black

**Mounting preference** No preference

**Mounting Mode** Not rack-mountable

**Maximum Mounting Depth** 36.3 in (920.8 mm)

**Minimum Mounting Depth** 7.5 in (191 mm)

**Rack Width** 19"

**Marking** 14 gauge EIA mounting rail  
16 gauge front door  
16 gauge post  
18 gauge rear door  
18 gauge roof  
18 gauge side panels

**Permanent permissible load** 600 lb(US) (272.2 kg) dynamic  
600 lb(US) (272.2 kg) static

### Conformance

**Standards** UL 2416  
UL 60950-1  
EIA-310E

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Ordering and shipping details

---

GTIN 731304347675

## Packing Units

---

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	31.3 in (79.5 cm)
Package 1 Width	45.7 in (116 cm)
Package 1 Length	29.5 in (75 cm)
Package weight(Lbs)	178.6 lb(US) (81 kg)

## Compliance

---

Compliance TAA Compliant  
BAA Compliant via COTS

## Contractual warranty

---

Warranty (in months) 60



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	284 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	271 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	7 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	6 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---

