

# Product data sheet

Specifications



## APC Smart-UPS Charge Mobile Battery for Microsoft Surface Hub 2S & Surface Hub 3

CSH2

### Overview

**Presentation** APC Smart-UPS Charge Mobile Battery is a lithium-ion battery system designed to power Microsoft Surface Hub 2S and Surface Hub 3 on-the-go, so you stay connected regardless of the location.

**Lead time** Usually in Stock

### Main

**Main Input Voltage** 100 V  
120 V  
230 V

**Product or Component Type** Battery

**Input Connection Type** IEC 60320 C13

**Battery Type** Li-Ion (Lithium Ion)

**Provided Equipment** DC Cable  
Detachable IEC C13 to IEC C14 power cord  
Screw set  
User Manual  
USB cable

**Range of Product** Smart-UPS Battery Systems

### Batteries & Runtime

**Included Battery Modules** 1

**Battery Slots Empty** 0

### Physical

**Height** 16.90 in (429.26 mm)

**Width** 11.0 in (279.4 mm)

**Depth** 3.5 in (88.9 mm)

**Net Weight** 22.05 lb(US) (10 kg)

**Mounting Mode** Not rack-mountable

**USB compatible** Yes

### Input

**Input Frequency** 40 - 70 Hz

### Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Product Certifications</b>	California (CEC) Battery Charger CE cTUVus UN 38.3
-------------------------------	---

---

<b>Standards</b>	FCC Part 15 class A
------------------	---------------------

---

## Environmental

---

<b>Ambient Air Temperature for Operation</b>	32...104 °F (0...40 °C)
--	-------------------------

---

<b>Relative Humidity</b>	0...85 %
--------------------------	----------

---

<b>Ambient Air Temperature for Storage</b>	-4...140 °F (-20...60 °C)
--	---------------------------

---

<b>Storage Relative Humidity</b>	0...95 % non-condensing
----------------------------------	-------------------------

---

## Ordering and shipping details

---

<b>GTIN</b>	731304402763
-------------	--------------

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

---

<b>Nbr. of units in pkg.</b>	1
------------------------------	---

---

<b>Package 1 Height</b>	16.9 in (429.3 mm)
-------------------------	--------------------

---

<b>Package 1 Width</b>	3.5 in (88.9 mm)
------------------------	------------------

---

<b>Package 1 Length</b>	11 in (279.4 mm)
-------------------------	------------------

---

<b>Package weight(Lbs)</b>	27.47 lb(US) (12.46 kg)
----------------------------	-------------------------

---

## Contractual warranty

---

<b>Warranty (in months)</b>	36
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	26cc43f4-2e18-467d-add7-6d988c7913ed
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Removable battery	User replaceable
Take-back	Yes

Image of product / Alternate images

Alternative

---





