

Product data sheet

Specifications



Wall Mount, Security and Environmental Appliance, NetBotz, 755 without PoE Injector

NBWL0755

Overview

Presentation The NetBotz Room Monitor 755 provides integrated surveillance, sensing, access control, and advanced alerting for IT environments of all sizes where IT rack space is unavailable.

Lead time Usually in Stock

Main

Product or Component Type Industrial rack PC

Range of Product Netbotz

General

Camera Frame Rate Up to 30fps

APC Universal Sensors Supported 0-5V
Door contact
Dry Contact
Fluid Spot Leak
Humidity
Smoke
Temperature
Vibration

Number of Universal Sensor Ports 4

Physical

Color Black

Height 5.5 in (14.0 cm)

Width 9.6 in (24.4 cm)

Depth 3.6 in (9.1 cm)

Net Weight 3.44 lb(US) (1.56 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

Environmental

Ambient Air Temperature for Operation 32...113 °F (0...45 °C)

Operating altitude 0...9842.52 ft (0...3000 m)

Ambient Air Temperature for Storage 5...149 °F (-15...65 °C)

Storage altitude 0...49212.6 ft (0...15000 m)

Communications & Management

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Communication Network Type	10/100/1000BASE-T
----------------------------	-------------------

Ordering and shipping details

GTIN	731304347521
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.8 in (12.1 cm)
Package 1 Width	12.5 in (31.8 cm)
Package 1 Length	21.0 in (53.3 cm)
Package weight(Lbs)	8.20 lb(US) (3.72 kg)

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 484 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	39 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.6 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.6 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 438 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	7 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	3160e3ed-e229-4ab1-993b-c72e3b6adfac
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	49
Take-back	Nej
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Offer Marketing Illustration

Product benefits / Features

NetBotZ 755

Benefits



Protect Distributed Sites

Easily deploy monitoring and surveillance across edge locations without rack space, ensuring consistent protection for widely distributed IT environments.



Simplify Edge Deployment

Combine surveillance, access control, and environmental monitoring in one appliance for faster setup and reduced complexity across your sites.



See Issues Instantly

Real-time temperature and humidity visibility helps you quickly detect environmental risks and maintain stable, reliable infrastructure conditions.

