

Product data sheet

Specifications



APC NetShelter Switched Rack PDU, 9K series, 0U, 11.0kW, 230V, 21 C13 and 3 C19 outlets

APDU9981EU3

Overview

Lead time Usually in Stock

Main

| | |
|---------------------------|--|
| Color | Black |
| Product or Component Type | PDU |
| PDU Type | Switched |
| Cord length | 5.97 ft (1.82 m) |
| Number of cables | 1 |
| Provided Equipment | Installation guide Rack Mounting brackets Safety guide |

Complementary

| | |
|-----------------------------|------------------------|
| Input Voltage | 400 V 3 phase |
| Height | 70.6 in (1792 mm) |
| Width | 2.2 in (55 mm) |
| Output Voltage | 230 V |
| Depth | 1.8 in (46 mm) |
| Net Weight | 15.4 lb(US) (7 kg) |
| Mounting Location | Side |
| Mounting preference | No preference |
| Input Plug Type | IEC 60309 16 A 3P+N+PE |
| Mounting Mode | Not rack-mountable |
| Rack units | 0U |
| USB compatible | No |
| Mounting position | Vertical |
| Communication Port Protocol | SNMP Redfish |
| Line Rated Current | 16 A |
| Max line current | 16 A |
| Input current limits | 16 A |
| Load Capacity | 11000 VA |
| Input Frequency | 50/60 Hz |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-----------------------------------|-------------------------------------|
| Outlet type and quantity | 21 IEC 60320 C13 3 IEC 60320 C19 |
| Communication Network Type | 10/100/1000BASE-T |

Environment

| | |
|--|--|
| Product Certifications | cUL Listed FCC part 15 class A UL Listed VDE |
| Standards | EN 55022 Class A EN 55024 EN 61000-3-2 EN 61000-3-3 ICES-003 |
| Ambient Air Temperature for Operation | 23...140 °F (-5...60 °C) |
| Relative Humidity | 5...95 % |
| Operating altitude | 0...10000 ft |
| Ambient Air Temperature for Storage | -13...149 °F (-25...65 °C) |
| Storage Relative Humidity | 5...95 % |
| Storage altitude | 0...50000 ft (0...15240 m) |

Ordering and shipping details

| | |
|--------------------------|--------------|
| GTIN | 731304404262 |
| Country of origin | IN |

Packing Units

| | |
|-------------------------------|------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 78.8 in (200.2 cm) |
| Package 1 Width | 4.5 in (11.4 cm) |
| Package 1 Length | 6.5 in (16.5 cm) |
| Package weight(Lbs) | 19.73 lb(US) (8.95 kg) |

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 36 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 1 246 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 50 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.2 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 1 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 1 192 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 3 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| SCIP Number | 31346aed-552c-4a16-81d9-e683a383b6da |
| EU RoHS Directive | Compliant By Exemption |
| REACH Regulation | Reference contains Substances of Very High Concern above the threshold |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|-------------------------------|--|
| Recyclability potential, in % | 71 |
| Circularity Profile | End of Life Information |
| Removable battery | Yes |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Image of product / Alternate images

Alternative

