

Product data sheet

Specifications



Subscription, PowerChute Network Shutdown for Virtualization and HCI, 3 year

SWPCNS3Y-DIGI

Overview

Presentation	3-year subscription for PowerChute Network Shutdown. Contact your Partner to purchase this subscription.
Lead time	Usually in Stock

Main

Range of Product	PowerChute Network Shutdown
Product or Component Type	Subscription
Format	Digital key
Subscription period	3 years
Subscription type	Paid
Software Type	Subscription software
Range Compatibility	Smart-UPS Smart-UPS Ultra Smart-UPS Online Smart-UPS Modular Ultra Easy UPS On-Line Symmetra Galaxy VL Galaxy VM Galaxy VS Galaxy VX Galaxy VXL
Software Version	V5.2
Operating system requirement	VMware ESXi VMware vSAN Nutanix ESXi Nutanix AHV Dell VxRail Microsoft Hyper-V HPE SimpliVity Cisco HyperFlex
User Language	English

Complementary

Software Designation	PowerChute Network Shutdown software
Software Function	Activate PowerChute Network Shutdown

Ordering and shipping details

GTIN	731304452997
-------------	--------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No

Offer Marketing Illustration

Product benefits / Features

PowerChute Network Shutdown Benefits



Protect Virtual Infrastructure

Unattended, graceful shutdown of virtual machines and hosts during power events - ensuring data integrity and uptime.



Easy Access and Configuration

Intuitive step-by-step configuration wizard avoids any guesswork, reducing installation and set-up time.



Integrate With Confidence

Validated compatibility with VMware, Hyper-V, and other platforms for seamless deployment and reliable performance.



Image of product / Alternate images


Alternative






PowerChute
WIN-REGKAH8SD

Event Log

Date	Time	Event
09/19/2022	15:52:51	vCenter Server is accessible. PowerChute will be able to issue commands to Virtual Machines or Hosts.
09/19/2022	15:29:52	Control console to vCenter Server. PowerChute may not be able to issue commands to Virtual Machines or Hosts.
09/19/2022	15:00:09	Three unsuccessful login attempts detected. Temporarily denying login attempts from IP address with IP 10.179.211.93.
09/19/2022	14:57:26	Three unsuccessful login attempts detected. Temporarily denying login attempts from IP address with IP 10.179.211.93.
09/19/2022	14:28:07	UPS is no longer running on battery power or output power has been turned on.
09/19/2022	14:28:03	UPS has switched to battery power.
09/19/2022	09:29:28	Available runtime has been exceeded.
09/19/2022	09:29:28	Communication has been established.
09/19/2022	09:29:06	PowerChute successfully accessed TCP port 9545.
09/19/2022	09:29:06	PowerChute is attempting to access TCP port 9547.
09/19/2022	09:29:09	PowerChute Network Shutdown vendor S.O.C. warning started.
09/19/2022	09:29:08	PowerChute successfully accessed UDP port 3062.







PowerChute
— software interface

robot-vorarl-vm
Logout

Home Configuration Visualization UPS Configuration Help

Configure Events

Click on an icon to configure a PowerChute event action in response to UPS events.

Event	Logging	Notification	Command File	Shutdown
UPS On-Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Input Power Fluctuates	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Auxiliary overloaded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Runtime is sufficient	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Runtime remaining below threshold	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Runtime remaining above threshold	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Battery Discharged	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Battery Recharged	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shutdown due to hardware error or overload	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shutdown failed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Maintenance bypass	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>