

Product data sheet

Specifications



Device monitoring and management, Network Management Cards, NMC3 for Easy UPS 3S, 3M, 3L, Galaxy 3L & Galaxy PW, remote UPS monitoring and management

AP9547

Overview

Presentation

The Network Management Card for Easy UPS 3 Series (AP9547) enables secure remote monitoring and control of one Easy UPS 3S, Easy UPS 3S Pro, Easy UPS 3M or Easy UPS 3L through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 1-year Secure NMC System with IEC 62443-4-2 compliant NMC firmware updates is included with the purchase of the Network Management Card. After expiration of the 1-year included Secure NMC System, the purchase of an Advantage Plan (Plus, Prime, Ultra) or EcoCare membership with onsite maintenance visits for the UPS is required to get future NMC firmware updates.

Lead time

Usually in Stock

Main

Range of Product

Network Management Cards

Range Compatibility

Easy UPS 3S
Easy UPS 3M
Easy UPS 3L
Easy UPS 3S Pro
Galaxy PW 2nd generation

Product or Component Type

Device monitoring and management

Provided Equipment

Micro-USB cable
Installation manual

Number of input phases

3

Standards

CISPR 32
VCCI class A
ICES-003
EN 55024
EN 61000-4-2
EN 61000-4-3
EN 61000-4-4
EN 61000-4-5
EN 61000-4-6
EN 61000-4-8
EN 61000-6-2
EN/IEC 62040-2

Physical

Net Weight

0.11 lb(US) (0.05 kg)

Width

2.05 in (5.2 cm)

Height

1.7 in (4.4 cm)

Depth

3.1 in (8.0 cm)

Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications	FCC Class A AS/NZS
-------------------------------	-----------------------

Environmental

Storage Relative Humidity	0...95 %
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)
Ambient Air Temperature for Operation	5...149 °F (-15...65 °C)
Storage altitude	0...50000 ft (0...15240 m)
Operating altitude	0...10000 ft

Communications & Management

Communication Network Type	10/100/1000BASE-T
Authentication	Radius
Communication Port Protocol	HTTP over secure sockets Layer (HTTPS) SSH FTP HTTP SNMP DHCP BOOTP (Bootstrap Protocol) TCP/IP

Ordering and shipping details

GTIN	731304422495
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	6.496 in (16.500 cm)
Package 1 Length	9.449 in (24.000 cm)
Package weight(Lbs)	11.076 oz (314.000 g)
Unit Type of Package 2	P06
Number of Units in Package 2	44
Package 2 Height	21.654 in (55.000 cm)
Package 2 Width	23.622 in (60.000 cm)
Package 2 Length	31.496 in (80.000 cm)
Package 2 Weight	37.479 lb(US) (17.000 kg)



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	69 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	66 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	F4c2965e-f80d-4830-8cd4-be926afb0f45
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	End of Life Information
Take-back	Nej
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Offer Marketing Illustration

Product benefits / Features

Network Management Cards

Benefits



Monitoring and alarming

Stay informed with real-time monitoring and instant alerts to quickly address issues before they impact operations.



Preventative management

Proactively manage systems to prevent failures and reduce downtime through early detection and action.



Ongoing security compliance

Ensure continuous adherence to security standards and protocols to protect against evolving threats.

