

Product data sheet

Specifications

Schneider Electric AR7701A-S



NETSHELTER SX HIGH SEISMIC REGION & OSHPD BOLT-DOWN KIT

AR7701A-S

Overview

Lead time Usually in Stock

Main

Product or Component Type Bolt set

Provided equipment Installation guide
Mounting Hardware

Physical

Color Black

Height 2.6 in (66 mm)

Width 12.5 in (318 mm)

Depth 2.008 in (51 mm)

Net Weight 2.006 lb(US) (0.91 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

Conformance

Standards OSHPD

Ordering and shipping details

GTIN 731304335429

Country of origin CN

Packing Units

Unit Type of Package 1 PCE

Nbr. of units in pkg. 1

Package 1 Height 4.5 in (11.4 cm)

Package 1 Width 10.5 in (26.7 cm)

Package 1 Length 15.0 in (38.1 cm)

Package weight(Lbs) 8.99 lb(US) (4.08 kg)

Contractual warranty

Warranty (in months) 24

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	14 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	14 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.3 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.