


Product data sheet

Specifications



Equipment Support Rails for NetShelter SX 600mm / SV 600 & 800mm Wide Enclosures

AR8006A

Overview

Presentation	Equipment Support Rails are ideal for mounting non-rack mountable equipment in a rack. These rails can support equipment measuring up to 16.75" (43cm) to 17.7" (45cm) wide and has a maximum weight of 200 lbs/91kg. The Support Rails attach to the side mounting holes of the vertical mounting rails.
Lead time	Usually in Stock

Main

Product or Component Type	Rail fixing support
Number of cables	1
Provided equipment	Installation guide Rack mounting hardware

Physical

Color	Black
Height	24.4 in (620 mm)
Width	2.008 in (51 mm)
Depth	2.008 in (51 mm)
Net Weight	5.03 lb(US) (2.28 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Permanent permissible load	200 lb(US) (90.7 kg) static

Ordering and shipping details

GTIN	731304234685
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	26.0 in (66 cm)
Package 1 Width	3.4 in (8.6 cm)
Package 1 Length	3.3 in (8.3 cm)
Package weight(Lbs)	6.53 lb(US) (2.96 kg)

Contractual warranty

Warranty (in months)	24
----------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	10 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	10 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

