





# IMPACT 1000 series

On-ear Bluetooth® headset with dongle

User Guide

DSBT2 | DSBT6 | DSBT4 | DSWD6

# Contents

|                                                          |    |
|----------------------------------------------------------|----|
| Welcome .....                                            | 3  |
| Package contents .....                                   | 4  |
| IMPACT 1000 at a glance .....                            | 6  |
| Icons at a glance .....                                  | 6  |
| Headset at a glance .....                                | 6  |
| Charging stand at a glance .....                         | 13 |
| Dongle at a glance .....                                 | 14 |
| Getting started .....                                    | 15 |
| Connection possibilities .....                           | 15 |
| A Connecting the dongle .....                            | 16 |
| B Pairing with your Bluetooth® devices .....             | 17 |
| C Connecting via USB & charge the battery .....          | 21 |
| Installing the EPOS Connect mobile app .....             | 22 |
| Installing the EPOS Connect desktop app .....            | 22 |
| Changing audio settings – Microsoft® Windows .....       | 23 |
| How to wear the headset .....                            | 24 |
| Adjusting and wearing the headset .....                  | 24 |
| Positioning the microphone .....                         | 25 |
| How to use – the basics .....                            | 26 |
| Switching the headset on – auto connect .....            | 26 |
| Switching the headset off .....                          | 27 |
| Changing the volume .....                                | 28 |
| Muting the headset's microphone .....                    | 30 |
| Using Active Noise Cancellation – ANC version only ..... | 31 |
| Using TalkThrough – ANC version only .....               | 33 |
| Making calls using the headset .....                     | 34 |
| Making a call .....                                      | 34 |
| Accepting / rejecting a call .....                       | 35 |
| Putting a call on hold (pause) .....                     | 37 |
| Ending a call .....                                      | 38 |
| Managing multiple calls .....                            | 39 |
| Using the voice assistant / voice dial .....             | 40 |

|                                                     |    |
|-----------------------------------------------------|----|
| Using Microsoft® Teams .....                        | 41 |
| Invoking Microsoft® Teams .....                     | 41 |
| Checking Teams Notifications .....                  | 42 |
| Raising hand in a Teams meeting.....                | 42 |
| Listening to media .....                            | 43 |
| Controlling via the proximity sensor .....          | 43 |
| Controlling via the button .....                    | 44 |
| Good to know.....                                   | 45 |
| Charging the headset .....                          | 45 |
| Verifying battery power / remaining talk time ..... | 48 |
| Activating / deactivating sensor functions.....     | 49 |
| Adjusting the Sidetone.....                         | 50 |
| Changing the voice prompts' language.....           | 50 |
| Enabling / disabling voice prompts and tones.....   | 51 |
| Changing settings for media mode .....              | 51 |
| Enabling / disabling an Audio Limiter .....         | 52 |
| Enabling / disabling Busylight LED.....             | 52 |
| Enabling / disabling mute notifications .....       | 53 |
| If you are close to leave the Bluetooth range.....  | 54 |
| Pairing with the dongle .....                       | 55 |
| Maintaining & updating products.....                | 57 |
| Cleaning the products.....                          | 57 |
| Transporting and storing the products .....         | 58 |
| Replacing the ear pad(s) .....                      | 59 |
| Updating the firmware.....                          | 60 |
| Replacing the headset's rechargeable battery .....  | 63 |
| If a problem occurs.....                            | 64 |

## Trademarks

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by DSEA A/S is under license.

USB Type-C® and USB-C® are trademarks of USB Implementers Forum.

All other trademarks are the property of their respective owners.

# Welcome

IMPACT 1000 is designed for the New Open Office environment.

Built on EPOS BrainAdapt™ technology to reduce brain fatigue with adaptive ANC\* and industry-leading voice pickup powered by EPOS AI™, making sure you're getting your message through.

Experience all-day wearing comfort with lightweight design, soft cushions, headband padding, and Super Wideband for natural sound. Enjoy total ease of use with a contactless charging stand, intuitive on-headset controls, and a suite of smart features.

Triple wireless connectivity lets you stay connected to three devices at the same time as you roam freely around the office. TalkThrough\* allows you to communicate with colleagues without removing the headset while the 360 busylight signals when you're on call.

\* IMPACT 1000 MS UC ANC WL only

## Key benefits & features

### The industry's best voice pickup

Sets the industry benchmark with EPOS AI™-driven noise cancellation, delivering your voice clearly and naturally in any working environment.

### AI precision starts with perfect voice pickup

With a word accuracy higher than 99 out of 100, you can trust that the tasks you give your AI assistant are completed correctly, first time. That's true AI powered productivity..

### Total environmental control with hybrid adaptive ANC

Not just noise cancellation, but complete mastery over your surroundings. Create your personal zone of focus wherever work takes you.

### EPOS BrainAdapt™ Backed by science

Scientifically proven audio technology that reduces listening fatigue, improves concentration and delivers clearer conversations.

### Smart, effortless, all day focus.

Instant Bluetooth® connection, intuitive smart features and wireless charging keep you effortlessly in control through every meeting.



For safety instructions, consult the Safety Guide.




For specifications, consult the Fact sheet available at [eposaudio.com](https://eposaudio.com)




A list of accessories can be found on the product page at [eposaudio.com](https://eposaudio.com)

# Package contents


IMPACT 1000 MS UC ANC WL USB-C+A




IMPACT 1000 MS UC ANC WL USB-C+A Stand



IMPACT 1000 MS UC ANC WL | IMPACT 1000 MS UC Mono WL



IMPACT 1000 MS UC ANC WL Stand




# IMPACT 1000 at a glance


## Icons at a glance

|                                                                                   |                           |                                                                                   |                                 |
|-----------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|  | Tap the button            |  | Notes: Good to know             |
|  | Double tap the button     |  | LED indications                 |
|  | Press and hold the button |  | You hear a voice prompt or tone |

## Headset at a glance




## Headset 2nd earcup






Headset LEDs at a glance



You can change some of the LED settings via [EPOS Connect](#).


Multi-function LED



Meaning

|                                                                                                                                                                             |                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| 3x                                                                                         | Headset switches on                                         |
|  ...                                                                                       | Headset in pairing mode: searching for mobile device/dongle |
|  ...                                                                                       | Headset searches for Bluetooth devices                      |
| 3x                                                                                         | Pairing was successful                                      |
| 3x                                                                                         | Connecting to Bluetooth device was successful               |
| 3x                                                                                         | Headset switches off                                        |
|   ...     | Headset is being charged: color indicates battery status    |
|   ...     |                                                             |
|   ...   |                                                             |
|  3x   | Remaining battery power requested                           |
|  3x   |                                                             |
|  3x   |                                                             |
|   ... | Headset fully charged                                       |
|  ...                                                                                     | Firmware is being updated                                   |
| 3x                                                                                       | Pairing list has been cleared                               |
|   ... | Headset resets to factory settings                          |

Busylight LED



Meaning




Incoming call:  
if you do not wear the  
headset



Active call

Call on hold


Mute LED at boom arm



Meaning




Microphone muted



Talking while microphone is  
muted

Boom arm functions at a glance



Lift boom arm:



- Mutes the microphone

Lower boom arm:


- Unmutes the microphone
- Accepts an incoming call

\*This function can be activated/deactivated  
via EPOS Connect.

Headset buttons at a glance

| Power & Bluetooth slider                                                          | Press                                                                             | Function                                  | Page |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------|------|
|  |  | Switches the headset on                   | 26   |
|                                                                                   |  | Switches the headset off                  | 27   |
|                                                                                   |  | Pairs the headset with a Bluetooth device | 17   |
|                                                                                   |  | Requests remaining battery power          | 48   |
|                                                                                   |  | Cancels pairing (Pairing mode)            | 17   |
|                                                                                   |  | Clears pairing list                       | 66   |

## Hook & Teams button



### Press

### Function

### Page



Accepts a call

35

Ends a call

38

2 calls: Answers incoming & ends active call

39

2 calls: Ends active and keeps 2nd call on hold

40

Invokes Microsoft Teams

41



Puts an active call on hold (pause) / unholds call

35

2 calls: Answers incoming & puts active call on hold

39

2 calls: Toggles between two calls

40



Raises/lowers hand in a Teams meeting upon release


42



Rejects a call

37

## ANC button\*



### Press

### Function

### Page



Switches ANC on / off




31



Switches TalkThrough on/off (only if ANC is switched on)


33

\*IMPACT 1000 MS UC ANC WL only

| Multi-function slider                                                              | Press                                                                             | Function                                       | Page |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------|------|
|  |  | Mutes / unmutes the microphone                 | 30   |
|                                                                                    |  | Starts / pauses audio playback                 | 43   |
|                                                                                    |                                                                                   | Deactivates voice assistant                    | 40   |
|                                                                                    |  | Decreases the volume (press or press and hold) | 28   |
|                                                                                    |  | Increases the volume (press or press and hold) | 28   |
|                                                                                    |  | Activates voice assistant                      | 40   |
|                                                                                    |  | Skips to the next track                        | 43   |
|                                                                                    |  | Skips to the previous track                    | 43   |


## Charging stand at a glance

The charging stand CH 40 is included in the **IMPACT 1000 Stand** bundles. It is also available as an accessory.



### Charging stand LEDs at a glance

#### Charging LED




#### Meaning

|                                                                                        |                                        |
|----------------------------------------------------------------------------------------|----------------------------------------|
|     | Headset is being charged               |
| 3x  | Charging stand plugged into USB socket |

## Dongle at a glance

The dongle BTd 900c is included in the IMPACT 1000 MS UC ANC WL USB-C+A (Stand) bundle. It is also available as an accessory.



### Dongle LEDs at a glance


| Dongle                                                                             | LED                                                                                 | Meaning                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|
|  |    | Dongle tries to connect to the headset        |
|                                                                                    |    | Dongle and headset connected                  |
|                                                                                    |                                                                                     | Audio streaming                               |
|                                                                                    |    | Incoming call                                 |
|                                                                                    |    | Active call                                   |
|                                                                                    |  | Connected to Teams                            |
|                                                                                    |  | Teams notification                            |
|                                                                                    |  | Microphone of the connected headset is muted  |
|                                                                                    |  | Dongle in pairing mode: searching for headset |
|                                                                                    |  | Pairing successful                            |
|                                                                                    |  | Pairing failed                                |
|                                                                                    |  | Clears pairing list                           |

# Getting started

## Connection possibilities

You can connect the headset:

- **A** via the **Bluetooth dongle** to a computer **or**
- **B** via **Bluetooth** to a mobile device (e. g. smartphone, tablet) **or** via **native Bluetooth** to a Windows 11 PC (Microsoft Teams certified; no dongle required)
- **C** via the **USB cable** to a computer



**C** If you connect the headset via USB cable it will automatically be charged. With the cable connected, you can use the headset even if the battery is empty.



## A Connecting the dongle

The dongle BT-D 900c is included in the IMPACT 1000 MS UC ANC WL USB-C+A (Stand) bundle. **Upon arrival the dongle is already paired with the headset.** It is also available as an accessory: Follow the instructions on page 14.


- 1 Attach or detach the BT-D C to A Adapter.

Plug the dongle into a **USB-C or USB-A** port of your computer.

The dongle LED flashes blue while searching.

- 2 Move the Power slider to the center to switch on the headset.

The LED flashes 3 times green and 3 times blue as soon as it is connected to the dongle. The dongle LED flashes blue while searching for the headset and switches to white as soon as they are connected. If Microsoft Teams is running: The dongle lights up purple instead of white.




## B Pairing with your Bluetooth® devices

To transmit data via Bluetooth, you first have to pair your headset to a wireless device. The delivered dongle is already paired with the headset.


The headset can save up to eight paired devices. If you pair the headset with a ninth device, the device with the oldest activity in the pairing list will be overwritten. If you want to re-establish a connection with this device, you have to pair it again.

The headset can be connected to three of the paired devices at the same time. You can only connect another device by disconnecting one of the already connected devices.



## Pairing the headset via Bluetooth with a mobile device

- 1 Move the Power slider to the center to switch the headset on. The LED flashes 3 times green.  
Move the Power slider in the direction of the Bluetooth icon and hold it until the LED alternately flashes blue and red (pairing mode).
- 2 Search for Bluetooth devices and select **EPOS IMPACT 10xx** to establish the connection – see instruction manual of your mobile device. Once the headset is paired with the mobile device, the LED flashes blue 3 times and switches off.



To cancel pairing:


- > Move the Power slider in the direction of the Bluetooth icon shortly.

## Pairing the headset via Bluetooth with a Windows 11 PC

Some Windows 11 PCs offer a native Bluetooth connection with a good sound quality. This allows to connect the headset and the PC directly without a dongle.

To pair the headset via Microsoft Swift Pair:

- 1 Disconnect the USB cable or the dongle from your PC.
- 2 Open “Bluetooth and other device settings” in Windows and activate Bluetooth.
- 3 Activate “Device settings” > “Show notifications to connect using Swift Pair”.




**4 Put your headset into pairing mode:**

Move the Power slider to the center to switch the headset on. The LED flashes 3 times green.

Move the Power slider in the direction of the Bluetooth icon and hold it until the LED alternately flashes blue and red (pairing mode).



If you do not see the Swift Pair notification on the screen when you put your headset into pairing mode: Pair it manually by adding the headset in the Bluetooth Devices settings via the “Add device” button.

**5 Click on “Connect” in the popup notification in the lower right corner of your screen. The voice prompt “Pairing successful” is announced in the headset. The LED flashes blue 3 times and switches off. The notification “Your device is ready to go” appears.**

To cancel pairing:


- > Move the Power slider in the direction of the Bluetooth icon shortly.

## C Connecting via USB & charge the battery

The USB cable allows to charge the headset battery while using it for calls or media reproduction.

- > Attach or detach the USB-A adapter.
- > Connect the supplied USB cable to the USB socket of the headset and a USB socket of your computer.

The battery is being charged. The LED pulses red, yellow or green – depending on the battery status. When fully charged, the LED lights up green for 10 seconds and then switches off.



To disconnect the USB cable:

- > Pull the plugs out of the headset and your computer.

## Installing the EPOS Connect mobile app

The free **EPOS Connect mobile app** allows you to configure your headset and offers additional settings.


- > Open the App Store or Google Play app on your mobile device.
- > Search for “**EPOS Connect**”.
- > Download and install the app.



## Installing the EPOS Connect desktop app

The free **EPOS Connect software** allows you to configure and update your headset and offers additional settings.

- > Download the software from [eposaudio.com/connect](https://eposaudio.com/connect).
- > Install the software. You need administrator rights on your computer – if necessary, contact your IT department.




## Changing audio settings – Microsoft® Windows

---

Windows usually changes the Audio settings automatically if you connect a new headset. If the headset is connected but you hear no sound:

- > Right-click the Audio icon.
- > Select under output BTD 900c as speaker.
- > Select under input BTD 900c as microphone.





# How to wear the headset

## Adjusting and wearing the headset

For good sound quality and best possible wearing comfort:


- > Rotate the microphone boom to change wearing side.



- > Adjust the headset so that the ear pad rests comfortably on your right or left ear.




- > Adjust the headset so that the ear pads rest comfortably on your ears.
- > Change the wearing side in [EPOS Connect](#) to swap the stereo channels.



## Positioning the microphone

- > Bend and rotate the boom arm so that the microphone is about 0.8" (2 cm) from the corner of your mouth.



# How to use – the basics



## CAUTION

Risk of hearing damage!


Listening at high volume levels for long periods can lead to permanent hearing defects.

- > Set the volume on your connected device to a low level before putting on the headset.
- > Do not continuously expose yourself to high volumes.

## Switching the headset on – auto connect

- > Move the Power slider to the center to switch the headset on.


The LED flashes 3 times green. The headset automatically tries to connect to the 3 latest used devices. If these are not available, the headset tries to find other paired devices. Once the connection is successfully established, you hear a voice prompt and the LED flashes 3 times blue.



## Switching the headset off

---

- > Move the Power slider in the direction of the standby icon. The LED flashes red 3 times and the headset switches off.



- > Charge the headset – see page 45.



The headset switches off after 6 hours to save battery power, if there is no audio signal and it is not worn. Switch the headset off and on again to use it. You can set or deactivate the time for auto power off in EPOS Connect.

---

## Changing the volume

You can adjust three independent volume settings for the headset:

1



Call volume  
during an active call

2




Media volume  
during media streaming

3



Ring tone, tones and voice prompts volume  
when headset is in idle mode  
(not during a call or media streaming)


- > Move the Multi-function slider to + or - to increase or reduce the volume. You hear a double beep for maximum or minimum volume.



Alternatively, you can adjust the volume for calls and media streaming on your connected device.


## Adjusting the headset's microphone volume for softphones

- > Initiate a call on your connected device to someone who will help you find the correct volume setting for your microphone.
- > Change the microphone volume in your softphone application and/or in your computer's audio application.



## Muting the headset's microphone

- > **A** Move the boom arm up to mute (you feel a slight resistance) or down to unmute the microphone\*. **OR**
- > **B** Tap the Multi-function slider to mute or unmute the microphone. The Mute LED lights up red while muted.



The microphone will also be muted by taking the headset off\*.




The LED flashes red, if you are talking while the microphone is muted.



\*This function could be activated/deactivated via EPOS Connect.

## Using Active Noise Cancellation – ANC version only


The IMPACT 1000 MS UC ANC WL provides attenuation of ambient noise using Active Noise Cancellation (ANC) technology. Special microphones reduce background noise, such as keyboard sounds or chats from colleagues in an open office environment.



If you are in a noisy environment but would like to have your own quiet space, you can use the headset itself, disconnected from any device, and simply benefit from ANC.

### Switching ANC on / off

- > Press the ANC button for 2 seconds or use EPOS Connect to activate or deactivate ANC.



You can activate ANC if the battery is sufficiently charged and if the headset is switched on.




## Using and adjusting ANC

The headset is equipped with **Adaptive ANC** and responds to the surrounding noise level. The built in ANC responds to the surrounding noise level to activate just as much ANC as is needed at a given time. This decreases the feeling of occlusion for situations where it is not needed.

The additional **ANC Level slider** allows you to set your individual ANC intensity (when adaptive mode is deselected).

Via **EPOS Connect** you can:

- > Choose or adjust your ANC mode.



Available Noise Control settings:

|              |                                                     |
|--------------|-----------------------------------------------------|
| Adaptive ANC | Adjusts the ANC intensity automatically             |
| ANC Level    | > Change the ANC intensity to your preferred level. |


## Using TalkThrough – ANC version only

TalkThrough allows you to communicate with your colleagues without having to remove the headset, when ANC is switched on. Media playback will be paused or muted.



### Switching TalkThrough on / off

- > Activate ANC (see former pages).
- > Tap the ANC button to activate or deactivate TalkThrough.




### Adjusting the TalkThrough intensity



Via **EPOS Connect** you can:

- > Change the TalkThrough intensity via the Noise Control settings.




# Making calls using the headset

The following functions depend on the connected device.

To make calls via the computer:

- > Install a softphone (VoIP Software) or ask your admin for support.


The Busylight LED lights up red as long as you are in a call or there is a call on hold.



## Making a call

- > Initiate the call on your connected device.

The Busylight LED lights up red as long as you are in a call.




## Accepting / rejecting a call

There are several ways to accept an incoming call.

### Indications of an incoming call

When you receive a call, you hear a ring tone. If you do not wear the headset, the flashing Busylight LED indicates the incoming call.




## Accepting a call

You can accept a call in three different ways:

- > **A** Tap the Hook button. **OR**
- > **B** Move the boom arm down.\* **OR**
- > **C** Lift the headset and put it on your head\*.


The headset is equipped with a proximity sensor that registers when the headset is worn.



\* **B + C**: This function could be activated/deactivated via EPOS Connect.


## Rejecting a call

- > Press the Hook button for 2 seconds.



## Putting a call on hold (pause)


- > Double tap the Hook button to put a call on hold or unhold the call.



## Ending a call


You can end a call in two different ways:

- > **A** Tap the Hook button. **OR**
- > **B** Hang the headset on the Charging stand's hanger.





# Managing multiple calls

You can use the headset with up to three connected Bluetooth devices. Two calls can be managed simultaneously. If you receive a call during an active call, a knock on tone will be played.




## Accept / reject second call



| Active call                                                                         | 2nd incoming call                                                                   |                                                                                     |                                                            |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------|
|  |  |  | Accepts the incoming call and ends the active call         |
|  |  |  | Accepts the incoming call and puts the active call on hold |
|  |  |  | Rejects the incoming call and continues the active call    |




Toggle between calls / end active call



| Active call                                                                       | 2nd held call                                                                     |                                                                                   |                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------|
|  |  |  | Toggles between the active and held call            |
|  |  |  | Ends the active call and keeps the 2nd call on hold |

Using the voice assistant / voice dial

The last connected Bluetooth device will be used for voice assistant or voice dial.



|                                                                                     |                                                                                     |                                        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------|
|  |  | Activates voice assistant / voice dial |
|  |  | Cancels voice assistant / voice dial   |


# Using Microsoft® Teams

As soon as the headset recognizes Microsoft Teams on your computer (Teams handshake), the Teams function is activated on the headset.

To use Microsoft Teams with the headset:


- > **A** Plug the dongle into the USB port of your computer – see page 16.  
If Microsoft Teams is already running on your computer, the dongle LED lights up purple. Otherwise install and run Microsoft Teams.  
**OR**

- > **B** Make sure the headset is directly connected to your Windows 11 PC via Bluetooth – see page 19.



## Invoking Microsoft® Teams

- > **A** Tap the Hook & Teams button. **OR**
- > **B** Open Microsoft Teams on your connected device.



## Checking Teams Notifications

The dongle LED pulses purple to indicate / Microsoft Teams shows: Meeting Join Notification.


To check these Notifications on your screen:

- > Tap the Hook & Teams button.



## Raising hand in a Teams meeting

- > Press the Hook & Teams button for 1 second and release it to raise or lower hand.



# Listening to media

- > Play the media on your connected device. The dongle's LED lights up white.




If you receive and accept a call, media reproduction is paused and resumed after the call – if supported by the connected device.

## Controlling via the proximity sensor

The headset is equipped with a proximity sensor that registers whether it is on the head or not.



- > Remove the headset from your head and lay it down, e. g. on your desk. Media reproduction is paused.
- > Lift the headset and put it on your head. Media reproduction resumes, if media was paused via the proximity sensor.





This function could be activated/deactivated via EPOS Connect.

# Controlling via the button

The following functions are device dependent.



|                                                                                   |                                                                                    |                          |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------|
|  |   | Plays audio              |
|  |   | Pauses audio             |
| > Press and hold the Multi-function slider and move it to + or - :                |                                                                                    |                          |
|  |   | Plays the next track     |
|  |  | Plays the previous track |



If you are connected to 2 or 3 devices: You can enable or disable the notifications from the other devices via EPOS Connect.

# Good to know

## Charging the headset

You can charge the headset battery via the Charging stand or the USB cable. The Charging stand is included in some bundles and available as an accessory.



If the battery level of the headset gets low, the voice prompt “Recharge Headset” is announced.

When the battery is empty, the headset switches off automatically:

- > Connect the USB cable to use the headset while charging.

| Charging time<br>via Charing stand |                                                                                   | Talk time<br>ANC off | Talk time<br>ANC on  |
|------------------------------------|-----------------------------------------------------------------------------------|----------------------|----------------------|
| 10 minutes                         |  | 1 hour<br>30 minutes | 1 hour<br>30 minutes |
| 20 minutes                         |  | 3 hours              | 3 hours              |
| 2 hours<br>30 minutes              |  | 20 hours             | 19 hours             |

| Charging time<br>via USB cable |                                                                                     | Talk time<br>ANC off  | Talk time<br>ANC on |
|--------------------------------|-------------------------------------------------------------------------------------|-----------------------|---------------------|
| 10 minutes                     |  | 3 hours<br>30 minutes | 3 hours             |
| 20 minutes                     |  | 6 hours<br>30 minutes | 6 hours             |
| 1 hour<br>30 minutes           |  | 20 hours              | 19 hours            |

If you do not use the headset for extended periods of time:


- > Charge the built-in rechargeable battery every 3 months for about 1 hour.

## Charging via Charging stand

- > Connect the Charging stand's USB-C connector to your computer.  
The LED flashes 3 times white.

- > Put the headset on the charging stand.

The charging stand's LED lights up white. The headset battery is being charged. The headset's LED pulses red, yellow or green – depending on the battery status. When fully charged, the LED lights up green for 10 seconds and then switches off.




## Charging via USB cable

The USB cable allows to charge the headset battery while using it for calls or media reproduction.

- > Connect the USB cable to your headset and your computer (see page 21).


The battery is being charged. The LED pulses red, yellow or green – depending on the battery status. When fully charged, the LED lights up green for 10 seconds and then switches off.






# Verifying battery power / remaining talk time

You can check the battery status of the headset in EPOS Connect. Some mobile devices also indicate it.



You can verify the remaining talk time at any time except when you are in a call/ listening to media:

- > Move the Power & Bluetooth slider shortly in the direction of the Bluetooth icon.



| LED | Information announced |
|-----|-----------------------|
|-----|-----------------------|

|                                                                                                                                                                            |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  3x  | "Battery High" |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|

|                                                                                                                                                                            |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
|  3x  | "Battery Medium" |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|


|                                                                                                                                                                            |               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|  3x  | "Battery Low" |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|

# Activating / deactivating sensor functions

The headset is equipped with a proximity sensor that registers whether it is on the head or not. A second sensor registers the boom arm position.

Via [EPOS Connect](#) you can:

- > Activate or deactivate Smart Pause functions.




Available settings:

|                             |                                                                                          |
|-----------------------------|------------------------------------------------------------------------------------------|
| <a href="#">Answer Call</a> | Accepts a call when you put on the headset                                               |
|                             | Accepts a call if you move the boom arm down                                             |
| <a href="#">Mute</a>        | Mutes the microphone when headset is removed during a call and unmutes when put on again |
|                             | Mutes the microphone if you move the boom arm up                                         |
| <a href="#">Play/pause</a>  | Pauses Media playback when you remove the headset and continues when you put it on again |

## Adjusting the Sidetone


Sidetone is the audible feedback of your own voice during a phone call.

- > Change the strength for the Sidetone in [EPOS Connect](#).



## Changing the voice prompts' language

- > Choose the corresponding voice prompts' language from the list in [EPOS Connect](#) (English by default).



# Enabling / disabling voice prompts and tones


> Activate or deactivate the voice prompts and tones in **EPOS Connect**.



|                      |                                                                                      |
|----------------------|--------------------------------------------------------------------------------------|
| Off                  | Deactivates tones and voice prompts; few exceptions e. g. low battery warning        |
| Tones                | Deactivates voice prompts; headset plays tones only                                  |
| Voice prompts        | Activates tones and voice prompts                                                    |
| Block product sounds | Deactivates all sounds during calls; except Teams Raise Hand and low battery warning |

# Changing settings for media mode


> Choose whether starting a 2<sup>nd</sup> media reproduction should keep the 1<sup>st</sup> audio or swap to the 2<sup>nd</sup> in **EPOS Connect**. **Calls are not affected.**



|         |                                                                     |
|---------|---------------------------------------------------------------------|
| Focused | Keeps current audio; ignores the 2 <sup>nd</sup> media reproduction |
| Dynamic | Switches to the newly started audio                                 |

# Enabling / disabling an Audio Limiter


> Choose an Audio Limiter in **EPOS Connect**.



|               |                                                                              |
|---------------|------------------------------------------------------------------------------|
| Off           | Deactivates limiter                                                          |
| EU/US limiter | Activates limiter: max. 90 dB;<br>compliant with Directive 2003/10/EC        |
| AU limiter    | Activates limiter: max. 85 dB;<br>compliant with Directive AS/ACIF G616:2006 |

# Enabling / disabling Busylight LED


> Change the settings in **EPOS Connect**.



|              |                                                                                              |
|--------------|----------------------------------------------------------------------------------------------|
| Auto         | Activates busy light automatically when in a call                                            |
| Manually on  | Switches the Busylight LED on; indicates that you are busy,<br>even if you are not in a call |
| Manually off | Switches the Busylight LED off                                                               |

# Enabling / disabling mute notifications

> Change the settings in [EPOS Connect](#).



|                            |                                                                       |
|----------------------------|-----------------------------------------------------------------------|
| Visual only                | Shows mute notification via LEDs only                                 |
| Visual and Audible         | Activates mute notification via LEDs and voice prompt / tone          |
| Off                        | Deactivates LEDs and voice prompt / tone                              |
| Mute notification interval | Sets interval for headset muted reminder to 1 minute, 5 or 10 minutes |


## If you are close to leave the Bluetooth range

The range between headset and Bluetooth device is device dependent. The transmission range largely depends on environmental conditions such as wall thickness, wall composition etc.

With a free line of sight, the transmission range of most Bluetooth devices is up to 30 meters.

When you are near the outer limit of the connected Bluetooth device's transmission range, the audio quality begins to degrade. Once you move outside the transmission range, the connection is lost entirely.

> Re-enter the transmission range to re-establish the connection automatically.




After **more than 40 minutes** the automatic connection will end to save battery power: > Turn the headset off and on again to connect manually.

## Pairing with the dongle

In case you purchased a new BTD 900c dongle as an accessory or reset your paired device list:

- 1 Plug the dongle in.
- 2 Move the Power slider in the direction of the Bluetooth icon and hold it until the LED alternately flashes blue and red (pairing mode).






### 3 Enter pairing mode in EPOS Connect.

OR

Use a pointed object (e.g. a ball pen) to press and hold the dongle's pairing button for 2 seconds. The LED alternately flashes blue and red too. Once the dongle and the headset are connected, both LEDs flash 3 times blue. The dongle LED lights up constantly.



It may take a few moments for the devices to find each other and connect.

# Maintaining & updating products


## Cleaning the products

### WARNING

Liquids can damage the electronics of the product!

Liquids entering the housing of the device can cause a short circuit and damage the electronics.

- > Keep all liquids away from the product.
  - > Do not use any cleansing agents or solvents.
- > Use a dry cloth to clean the product only.




## Transporting and storing the products

- > Keep the products in a clean and dry environment.

To avoid nicks or scratches on the headset and the dongle:

- > Store the headset and the dongle in the case when not in use or when carrying it around. Lift the boom arm and twist in the ear cup(s).




If you do not use the headset for extended periods of time:

- > Charge the rechargeable battery every 3 months for about 1 hour.

## Replacing the ear pad(s)

For hygienic reasons, replace the ear pad(s). Spare ear pads are available from your EPOS partner.

- 1 Lift the boom arm and twist in the ear cup(s).
- 2 Grasp the edge of the ear pad behind the ear cup and peel it up and away from the ear cup.
- 3 Slide the edge of the new ear pad into the small recess. Carefully rotate the ear pad anti-clockwise until it is fully attached.




## Updating the firmware

You can update the firmware of your headset and dongle by using the free **EPOS Connect** software (see page 22).


### Updating the firmware via EPOS Connect desktop app

- > Connect the USB cable to your headset and your computer.  
Move the Power slider to the center to switch the headset on.  
**OR**
- > Plug the dongle into the USB port of your computer. The LED flashes blue.
- > Start **EPOS Connect**.  
If there is a new firmware available the software will guide you through the update process.




## Updating the firmware via EPOS Connect mobile app

- > Move the Power slider to the center to switch the headset on.
- > Start the **EPOS Connect mobile app** on your connected mobile device.  
If there is a new firmware available, the software will guide you through the update process.



## Updating the firmware via EPOS Connect Web app

- > Connect the USB cable to your headset and your computer.  
Move the Power slider to the center to switch the headset on.  
OR
- > Plug the dongle into the USB port of your computer. The LED flashes blue.
- > Open your web browser and go to [eposconnect.enterprise.eposaudio.com](https://eposconnect.enterprise.eposaudio.com) to open up the **EPOS Connect Web app**.  
Follow the instructions of the **EPOS Connect Web app**. If there is a new firmware available, it will be shown in the "Updates" section.





## Replacing the headset's rechargeable battery

- > Go to [eposaudio.com/support/battery-replacement-guide](https://eposaudio.com/support/battery-replacement-guide).
- > Follow the instructions given in the **Battery removal and replacement guideline** for the IMPACT 1000 Series.




[eposaudio.com/support/battery-replacement-guide](https://eposaudio.com/support/battery-replacement-guide)





# If a problem occurs...



Many functions can be activated/deactivated or adjusted via the software:

- > Check the settings in [EPOS Connect](#).

| Problem                                               | Possible cause                                                                                                      | Solution                                                                                           | Page     |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------|
| Headset cannot be switched on                         | Rechargeable battery empty                                                                                          | > Recharge the headset battery. Use the headset with the USB cable during charging.                | 45       |
| Headset switched off but button in on position        | Battery saving mode: headset switches off after 2 or 6 hours (no audio signal; not worn + setting via EPOS Connect) | > Switch the headset off and on again.                                                             | 27<br>26 |
| Active Noise Cancellation (ANC) cannot be switched on | Rechargeable battery empty                                                                                          | > Recharge the headset battery. Use the headset with the USB cable during charging.                | 45       |
|                                                       | Headset switched off                                                                                                | > Switch the headset on.                                                                           | 26       |
| No audio signal or drop outs                          | Headset not paired with a Bluetooth device or dongle                                                                | > Pair the headset.                                                                                | 17       |
|                                                       | Volume adjusted too low                                                                                             | > Increase the volume on the headset during a call or media streaming or on your connected device. | 28       |
|                                                       | Headset or connected device switched off                                                                            | > Switch the headset or device on.                                                                 | 26       |
|                                                       | USB cable's plugs not fully inserted                                                                                | > Insert the plugs again.                                                                          | 21       |
| Headset cannot be connected via Bluetooth             | Headset not paired                                                                                                  | > Pair the headset.                                                                                | 17       |
|                                                       | Bluetooth at connected device deactivated                                                                           | > Activate Bluetooth.                                                                              | –        |
|                                                       | Dongle not plugged in                                                                                               | > Connect the dongle to your computer.                                                             | 16       |
| Beeps instead of voice prompts                        | Voice prompts disabled                                                                                              | > Enable voice prompts via EPOS Connect.                                                           | 51       |
| Voice prompts too loud or quiet                       | Volume for voice prompts adjusted too high or low                                                                   | > Increase the volume on the headset in idle mode (no call or audio streaming).                    | 28       |


| Problem                                              | Possible cause                                           | Solution                                                                                      | Page |
|------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------|------|
| Stereo sound mirrored                                | Headset wearing side swapped                             | > Change the wearing side setting via EPOS Connect.                                           | 24   |
| You hear your own voice too loud                     | Sidetone adjusted too high                               | > Change the sidetone setting via EPOS Connect.                                               | 50   |
| Headset does not respond to Smart Pause gestures     | Smart Pause is deactivated                               | > Activate Smart Pause via EPOS Connect.                                                      | 49   |
|                                                      | Smart Pause may not be compatible with your media player | > Try another media player or streaming app.                                                  | –    |
| Microsoft Teams does not work                        | Dongle or Microsoft Teams disturbed                      | > Unplug and plug in the dongle again.                                                        | –    |
|                                                      |                                                          | > Re-start Teams on your device.                                                              | –    |
| Dongle does not work                                 | Dongle plugged into a monitor USB port                   | > Connect the dongle to your computer.                                                        | 16   |
| Laptop screen switches off                           | Some laptops register a magnet and switch off the screen | > Do not hang your headset on top of a laptop screen as it contains a magnet in the headband. | –    |
| Headset or dongle does not react to any button press | Software or hardware problems                            | > Switch the headset off and wait for 10 seconds.                                             | 45   |
|                                                      |                                                          | > Switch the headset on again.                                                                | 26   |
|                                                      |                                                          | > Unplug and plug in the dongle again.                                                        | 16   |
|                                                      |                                                          | > Clear the pairing list of the headset.                                                      | 66   |
|                                                      |                                                          | > Clear the pairing list of the dongle.                                                       | 67   |
|                                                      |                                                          | > Reset the headset to the factory default settings.                                          | 66   |

If a problem occurs that is not listed here or if the problem cannot be solved with the proposed solutions, please contact your local EPOS partner for assistance.


To find an EPOS partner in your country, search at [eposaudio.com](https://eposaudio.com).

## Clearing the pairing list of the headset

- > Use **EPOS Connect** to clear the pairing list.  
**OR**
- > Move the Power slider to the center to switch the headset on. The LED flashes 3 times green.
- > Move the Power slider in the direction of the Bluetooth icon and hold it until the LED flashes 3 times white. The pairing list is cleared. The headset tries to pair with Bluetooth devices (see page 17).



## Restoring factory default settings (Reset)



- > Use **EPOS Connect** to reset the headset.

## Clearing the pairing list of the dongle


1 Plug the dongle into the USB port of your computer.

2 Use **EPOS Connect** to clear the pairing list.

OR


Use a pointed object (e.g. a ball pen) to press and hold the button for 5 seconds. The LED flashes white 3 times. The pairing list is cleared. The dongle searches for Bluetooth devices to pair with – see page 55.

1




2


A



B



[eposaudio.com/impact-1000](https://eposaudio.com/impact-1000)



**DSEA A/S**

Kongebakken 9, DK-2765 Smørum, Denmark  
[eposaudio.com](https://eposaudio.com)

05/26, A01