

Version 4.1	Revision Date 06/26/2018	Print Date 01/31/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP MORADO SUPER CLEANER 4-1GL
Material number	:	0000000000085624
Manufacturer or supplier's o	deta	nils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Colour	purple	
Odour	ether-like	

GHS Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NO induce vomiting.



Version 4.1 Revision Date 06/26/2018 Print Date 01/3	
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautio water for several minutes. Remove contact lenses, if p and easy to do. Continue rinsing. Immediately call a PC CENTER/doctor. P363 Wash contaminated clothing before reuse. Disposal: P501 Dispose of contents/container in accordance with regulation. 	fresh air busly with resent OISON

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 5
sodium hydroxide	1310-73-2	>= 1 - < 5
Fatty acids, tall-oil, sodium salts	61790-45-2	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention immediately.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.



Version 4.1	Revision Date 06/26/2018	Print Date 01/31/2020
	Continue rinsing eyes during transpo Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an DO NOT induce vomiting unless dire physician or poison control center. Take victim immediately to hospital. Do not give milk or alcoholic beverage 	ected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed. Symptoms may include blistering, in Effects are dependent on exposure contact time). Causes severe skin burns and eye of Review section 2 of SDS to see all p 	(dose, concentration, damage.
Notes to physician	: Treat symptomatically. Symptoms r	nay be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



Version 4.1	Revision Date 06/26/2018	Print Date 01/31/2020
protective equipment and emergency procedures Environmental precautions	: Prevent product from entering du Prevent further leakage or spillag If the product contaminates river respective authorities.	ge if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent ma acid binder, universal binder, sa Keep in suitable, closed containe	wdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0

SAFETY DATA SHEET

_



ZEP MORADO SUPER CLEANER 4-1GL

Version 4.1	Revision	Date 06/26/2018	Print D	Date 01/31/2020
		C	2 mg/m3	CAL PEL

Biological occupational exposure limits

Component		Construct	Dialagiast	Compliant	Demoiseit	Decie
Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYETHANOL	111-76-2	Butoxyacetic	Urine	End of	200.mg/g	ACGIH BEI
2-BOTOXTETHANOL	111-70-2	acid (BAA)	Unne	shift (As	Creatinine	ACGIH BEI
				soon as	Creatinine	
				possible		
				after		
				exposure		
				ceases)		
Engineering measures	: ef	fective ventilati	on in all proc	essing area	as	
Personal protective eq	uipment					
Respiratory protection	ve	entilation is prov	vided or expo	sure asses	ate local exhaus sment demonst exposure guide	rates
Hand protection						
Material		otective gloves				
Remarks		ne suitability for th the produce			ould be discuss es.	ed
Eye protection	in wi Ti W	clude: eye was th pure water. ghtly fitting safe	h stations or ety goggles	showers, o	t be available, o r eye wash bottl bnormal proces	es
Skin and body protection	CI	npervious clothi noose body pro oncentration of	tection acco		amount and e at the work pla	ace.
Hygiene measures	W	hen using do n hen using do n ash hands befo	ot smoke.		d of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: purple
Odour	: ether-like
Odour Threshold	: No data available
рН	: 13.5
Melting point/freezing point	: No data available

SAFETY DATA SHEET



ZEP MORADO SUPER CLEANER 4-1GL

Version 4.1	Revision Date 06/26/2018	Print Date 01/31/2020
Boiling point	: 98.9 °C	
Flash point	: does not flash	
Evaporation rate	: 1	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.029 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 6.6 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Oxidizing agents This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION



rsion 4.1	Revision Date 06/26/2018	Print Date 01/31/2020
Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Effects are immediate and delaye Symptoms may include blistering, Effects are dependent on exposu contact time).	, irritation, burns, and pain.
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probability human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with un humans	
OSHA	2-butoxyethanol No component of this product preser equal to 0.1% is on OSHA's list of re	
NTP	No component of this product prese equal to 0.1% is identified as a know by NTP.	nt at levels greater than or
ite toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 r Method: Calculation method	ng/kg
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	g/l
Acute dermal toxicity	 Acute toxicity estimate : > 5,000 r Method: Calculation method 	ng/kg
Components:		
Alcohols, C9-11, ethoxylate Acute oral toxicity	d: : LD50 Oral Rat: 1,400 mg/kg	
2-butoxyethanol: Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	g
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,3	350 mg/kg
n corrosion/irritation		
Product:		

SAFETY DATA SHEET



ZEP MORADO SUPER CLEANER 4-1GL

Version 4.1

Revision Date 06/26/2018

Print Date 01/31/2020

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: No data available octanol/water

Mobility in soil

No data available



Version 4.1	Revision Date 06/26/2018	Print Date 01/31/2020
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: Not applicable	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.



Version 4.1

Revision Date 06/26/2018

Print Date 01/31/2020

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.		Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation	1	
SARA 302	:	No chemicals in this material are su requirements of SARA Title III, Sect		
SARA 313	:	The following components are subjected established by SARA Title III, Section 2-butoxyethanol		3.4 %
California Prop. 65				
		This product does not contain any California to cause cancer, birth d reproductive harm.		State of

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)




Version 4.1

Revision Date 06/26/2018

Print Date 01/31/2020

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements Precautionary statements	Causes severe skin burns and eye damage.
	 Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.
	Disposal: Dispose of contents/container in accordance with local regulation.

Version:	4.1
Revision Date:	06/26/2018
Print Date:	01/31/2020

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®,



Version 4.1

Revision Date 06/26/2018

Print Date 01/31/2020

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.