



Report #: R230542-A Rev.1

Date: 06/30/2023

Sample Received: 06/16/2023

Cert. No. 3180.01 ISO/IEC 17025:2017

Test Report

CUSTOMER:

ATTENTION: Mr. John McCusker

Ashley Productions, Inc.
110 Ashley Road
Newtown Square, PA 19073 USA

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
09979 Welcome Magnetic Eraser 2" x 5"	ASTM F963-17 – Physical and Mechanical Testing	Pass
	ASTM F963-17 – Flammability	Pass
	ASTM F963-17: Section 4.3.5 – Eight Heavy Elements	Pass
	CPSIA Section 101 – Total Lead in Substrates	Pass
	CPSIA Section 108 – Phthalates	Pass
	Washington / Maine – Phthalate	Pass
	California Prop. 65 – Phthalates	Complies ¹
	California Prop. 65 – Lead and Cadmium	Complies ¹
	CPSA Section 14(a)(5) / CPSIA Section 103 – Tracking Label	Pass
	16 CFR 1262 – Safety Standard for Magnets	Pass

SIGNED FOR THE COMPANY BY:

William M. Baumann
Laboratory Director

The test results stated in this report relate only to the item(s) tested.
Tests identified with an asterisk (+) have been subcontracted.

Note 1: Based on safe levels established by products of a similar nature.

Note 2: Product is exempt for Section 4.3.5.1 / 16 CFR 1303 Total Lead in Coatings because the test specimen does not have any coatings.

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

AM Testing & Services

24451 Sandhill Blvd • Punta Gorda, FL 33983 • Telephone: 708-907-5252 • AMTestinginc.com

Revision 1 Note: Customer provided new packaging.

Technical Report

Sample ID: 09979 Welcome Magnetic Eraser 2" x 5"

Sample No.

- 1) Substrate, Plastic, Black Foam material
- 2) Substrate, Plastic, White Foam material
- 3) Substrate, Plastic, Man-made felt material
- 4) Substrate, Plastic, Top lamination material
- 5) Substrate, Plastic, Hard packaging material

Item 1: ASTM F963-17 – Physical and Mechanical Testing

Item 2: ASTM F963-17 – Flammability

Item 3: ASTM F963-17: Section 4.3.5 – Eight Heavy Elements

Item 4: CPSIA Section 101 – Total Lead in Substrates

Item 5: CPSIA Section 108 – Phthalates

Item 6: Washington / Maine – Phthalate

Item 7: California Prop. 65 – Phthalates

Item 8: California Prop. 65 – Lead and Cadmium

Item 9: CPSA Section 14(a)(5) / CPSIA Section 103 – Tracking Label

Item 10: 16 CFR 1262 – Safety Standard for Magnets

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

Item 1: Results for Mechanical testing according to ASTM F963-17; 16 CFR 1500 are listed below

FHSA 16 CFR 1500			
Sample ID:	5" X 2" Eraser	Packaging Provided:	Yes
Labeled Age Group:	3 Years+	Appropriate Warning Labeling:	N/A
Tested Age Grade	3 Years+	Machine Washable Plush Toy:	N/A
		Number of Samples:	1
The submitted samples underwent the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal regulations: -			
Test	FHSA	Parameter	
Impact Test	Section 1500.53 (b)(4)	4 x 3.0 ft.	
Torque	Section 1500.53 (e)	4 in-lbf	
Tension Test	Section 1500.53 (f)	15 lbf	

P = Pass		F = Fail		N/A = Not Applicable		Not Tested	
Clause	Testing Items	P	F	N/A	NT		
4	SAFETY REQUIREMENTS						
4.1	Material quality (visual check on cleanliness)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.2	Flammability (16 CFR 1500 or 16 CFR 1610)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.3	Toxicology:						
4.3.1	Hazardous Substances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.3.2	Manufacturing and Packaging of Food	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.3	Indirect Food Additives	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.3.1	Toys in Contact with Food	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.3.2	Ceramic ware, Lead and Cadmium	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.4	Cosmetics	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.4.1	FHSA Regulations (under 8 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.4.2	FDA Requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.5	Heavy Elements:						
4.3.5.1	Paint and Similar Surface-Coating Materials	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.5.2	Toy Substrate Materials	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.3.7	Stuffing materials (visual check on contaminations)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4.3.8	Phthalates in pacifiers, teethingers, rattlers and toys	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.4	Electrical/Thermal Energy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.5	Sound producing toys				
4.5.1.1	Equivalent sound pressure level by close to the ear toys – L_{Aeq}	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.5.1.2	Maximum A-weighted pressure level produced by floor or table top toys – L_{Aeq}	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.5.1.3	Equivalent sound pressure level produced by all other toys – L_{Aeq}	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.5.1.4	Peak sound produced by close to the ear toys – L_{Cpeak}	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.5.1.5	Peak sound pressure level – L_{Cpeak}	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.5.1.6	Peak sound pressure level produced by percussion caps and explosive – L_{Cpeak}	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.6	Small objects				
4.6.1	Toys intended for children under 36 months of age	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.6.2.1	Mouth actuated toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.6.2.2 (1)	Mouth actuated projectile launchers for non-detachable toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.6.2.2 (2)	Mouth actuated projectile launchers for detachable toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.6.2.3	Inflatable toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.6.3	Toys and games for 36 months to 72 months – Small part warning	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.7	Accessible edges (under 8 years of age)				
4.7.1	Potential sharp metal and glass	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.7.2	Functional sharp edge 48 to 96 months—warning	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.7.3	Metal toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.7.4	Molded toys	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.7.5	Exposed bolts or threaded rods	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.8	Projections (under 8 years of age)				
4.8	General	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.8.1	Bath Toy Projections	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.9	Accessible points (under 8 years of age)				
4.9.1	Potential sharp point	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.9.2	Functional sharp point 48 to 96 months—warning	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.9.3	Wood	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.10	<i>Wires or rods</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.11	<i>Nails and fasteners</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.12	<i>Plastic film</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.13	Folding mechanism and hinges				
4.13.1	Folding mechanisms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.13.1.1	Automatic locking device Remain in the recommended position	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.13.1.2	Releasing of the mechanism (> 10 lbf)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.13.2	Hinge line clearance	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.14	Cords, Straps, and Elastics				
4.14.1	Cords, straps and elastics in toys (less than 18 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.14.1.1	Break-away feature	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.14.2	Self-retracting pull cords (less than 18 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.14.3	Pull toys (less than 36 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.14.4	Strings and lines for flying devices	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.14.5	Cords on Toy Bags intended for Children up to 18 months	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15	Stability and Over-load requirement				
4.15.1	Stability of ride-on toys and toy seats	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.2	Sideway stability requirements (60 months of age or less)				
	4.15.2.1 Feet available for stabilization (Yes / No)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	4.15.2.2 Feet unavailable for stabilization (Yes / No)				
4.15.3	Fore and aft stability (60 months of age or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.4	Stationary floor toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.5	Overload requirements for ride on toys and toy seats	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.6	Dynamic Strength Test for Wheeled Ride-on Toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.16	Confined spaces				
4.16.1	Ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.16.2	Closures (Opening force ≤ 10 lb.)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.16.3	Toys that enclose the head	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.17	<i>Wheels, tires, and axles (aged 96 months or less)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.18	Holes, clearance, and accessibility of mechanisms				
4.18.1	Accessible clearances for moveable segments (under 96 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.2	Circular holes in rigid materials (aged 60 months or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.3	Chains and belts				
4.18.3.1	Supporting chains (36 months or less in age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.3.2	Chains for belts for ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.4	Inaccessibility of mechanisms (aged 60 months or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.5	Winding keys (under 36 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.6	Coil springs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.19	Simulated protective devices				
4.19.1	Eye protection	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.19.2	Simulated safety protective devices – label	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.20	Pacifiers (under 36 months of age)				
4.20.1	Nitrosamine	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.20.2	Nipple length: _____ (If greater than 16mm shall comply to 16 CFR 1511)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.1	All Projectile toys				
4.21.1.1	Projectile with rigid leading edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.1.2	Projectiles with a foam shaft and a suction cup	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.1.3	Other projectile with suction cup	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.1	Small parts	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.2	Kinetic energy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.3	Kinetic energy Density	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.4	Resilient Leading Edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.5	Projectiles sharp point and sharp edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.6	Discharge mechanisms and improvised projectiles	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3	Projectiles toys without stored energy				
4.21.3.1	Mouth actuated projectile toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.21.3.2	Projectiles sharp point and sharp edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3.3	Arrow	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3.4	Projectiles in the form of an arrow	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.4	Rotors	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.22	Teethers and teething toys				
4.22.1	Rattle fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.22.2	Supplemental fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.23	Rattles				
4.23	16 CFR 1510 requirement and rattle fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.23.1	Supplemental fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.24	Squeeze toys (under age of 18 months)				
4.24.1	16 CFR 1510 dimensional requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.24.2	Squeeze toys incorporating nearly spherical, hemispherical, or circular flared ends	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25	Battery operated toys				
4.25.1	Marking of battery compartment	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.1.1	Toys containing non-replaceable batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.2	The maximum direct current potential	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.3	Unable to charge non-rechargeable batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.4	Accessibility of batteries (under 3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.5	Accessibility of batteries – small parts	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.6	Isolated circuits	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.7	Surface temperature of batteries (less than 71 °C)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.8	Temperature requirement or combustion hazard	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.8.1	Rechargeable lithium ion or lithium ion polymer batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.9	Instructions on safe battery usage	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10	Battery-Powered Ride-On Toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.1	Maximum temperature measured on the insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.25.10.2	Risk of fire (battery powered ride on toys)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.3	Wiring system of battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.4	Switches	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.5	Circuit protection device	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.6	Battery and battery charges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.7	Short-circuit protected	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.8	Strain relief	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.9	Battery-powered ride-on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11	Toys contain secondary cells or secondary batteries				
4.25.11.1	Cells used in lithium ion or lithium ion batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.2	Lithium ion or lithium ion polymer batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.3	Batteries contains lithium ion or lithium ion polymer cells shall provide enclosures	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.4	Charging voltage of the battery	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.4.1	For batteries charged outside of the toy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.5	Maximum discharge current	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.6	Normal use charging and discharging of a secondary battery	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.7	Battery charges or power adopters plug into the electric main power	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.8	Circuit wiring connected to lithium or lithium ion polymer and NiMH secondary batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.26	Toys intended to be attached to a crib or playpen				
4.26.1	Protrusions	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.26.2	Crib mobile	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.26.3	Crib gyms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.27	Stuffed and beanbag type toys (Tension Test on Seams)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.28	Stroller and carriage toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.29	Art materials (LHAMA Testing)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.30	Toy gun marking	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.31	Balloons – safety labeling	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.32	Certain toys with nearly spherical ends				
4.32.1	Nearly spherical, hemispherical, circular flared, or dome-shaped ends of toys or components (up to the age of 18 months)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.32.2	Nearly spherical, hemispherical, circular flared, or dome-shaped ends of toys or components (for 18 months to 48 months)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.32.3	Preschool play figures (under 3 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.33	Marbles				
4.33.1	Toys and games contain marble (at least 3 but less than 8 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.34	Balls				
4.34.1	Balls/loose ball in toys for children under 36 months of age	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.34.2	Toys contain loose small ball (at least 3 but less than 8 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.35	Pompoms (under 3 years of age)				
4.36	Hemispherical shaped objects (under 3 years of age)				
4.36.6a	Have at least 2 openings: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6b	Interrupted at center: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6c	Have 3 openings: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6d	Scalloped edge: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6e	Opening at base or sidewall: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.37	Yo-Yo elastic tether toys (3 years and older)				
4.37.1	Toys with an end mass greater than 0.02 kg (0.044 lb.)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.38	Magnets (up to 14 years)				
4.38.1	Loose as-received hazardous magnet or magnetic component	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.38.2	Liberation of hazardous magnet or magnetic component	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.38.3	Magnetic/electrical experimental sets for ages 8 and up containing loose as-received hazardous magnet or as-received loosed magnetic component	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.39	Jaw Entrapment in Handles and Steering Wheels (under age of 18 months)				
4.40	Expanding material				
4.41	Toy chests				
4.41.1.4	Lid support	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

4.41.2	Hinge line clearance	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.3	Closures	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.4.1	Ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.5	Toy chest instructional literature and producer's markings	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5	<u>LABELING REQUIREMENTS</u>				
5.2	Age Grading Labeling	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.3	<i>Warnings must be display on PDP</i>				
5.3.1	(Caution & Warning) Text Size requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.3.4	Cautions & Warning Shall be display on the PDP	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.4	<i>Aquatic toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5	Crib and playpen toys				
5.5.1	Age grading	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5.2	Safety labeling	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.6	Mobile				
5.6.1	Age grading	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.6.2	Safety labeling	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.7	<i>Stroller and carriage toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.8	<i>Toys intended to be assembled by an adult</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.9	<i>Simulated protective devices</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.10	<i>Toys with functional sharp edges or points</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11	Small Objects, Small Balls, Marbles, and Balloons				
5.11.3.1	Small Balls Warning	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.12	<i>Toy caps</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.13	<i>Art materials</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.14	<i>Electric toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.15	Battery operated toys				
5.15.1	Battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.15.2	Replaceable button or coin cell batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

5.16	Promotional materials	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.17	Magnets	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6	INSTRUCTIONAL LITERATURE				
6.1	Definition and Description	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2	Crib and playpen toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.3	Mobiles	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.4	Toys intended to be assembled by an adult	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.5	Battery operated toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.6	Battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.7	Toys in contact with food	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.8	Toy chests	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7	PRODUCER'S MARKING				
7.1	Name: YES Address: Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2	Battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3	Toy chest				
7.3.1	Name: YES/NO Address: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3.2	Code mark or other mark	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3.3	Model number (if significant structural design or material modification changes)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Item 2: Results for ASTM F963-17 Sec. 4.2 & Annex A5, Flammability of Solids

ASTM F963-17 Section 4.2 & Annex A5: Flammability of Solids					
Sample	Ignition Point	Burn Length (in)	Burn Time (sec)	Burn Rate (in/sec)	Pass / Fail
1	Eraser – Corner	0.75	60.0	0.01	Pass

DNI = Did not ignite

in = Inches

sec = Seconds

IBSE = Ignited but self-extinguished

Note 1: A material is considered “flammable” if it ignites and burns with a self-sustained flame at rate greater than 0.1 inches per second along its major axis.

Note 2: A sample passes the test requirement if it self-extinguishes before burning 6 inches and prior to the lapse of 60 seconds.

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.’s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

Item 3: Results for ASTM F963 Section 4.3.5.2 Eight Heavy Elements (metals) per CPSIA Section 106
 Test Method: ASTM F963 Clause 8.3.1
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

ASTM F963 Section 4.3.5.2 per CPSIA Section 106								
Analyte	Lead (Pb)	Cadmium (Cd)	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Chromium (Cr)	Mercury (Hg)	Selenium (Se)
Limit (mg/kg)	90	75	60	25	1000	60	60	500
Sample No.	Results (mg/kg)							
1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
5	BDL	BDL	BDL	BDL	171.0	BDL	BDL	BDL

BDL = Below Detectable Limit = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 4: Results for CPSIA Section 101 & 15 USC 1278a, Total Lead in Substrate Materials
 Test Method: CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

CPSIA Section 101 & 15 USC 1278a		
Analyte	Lead (Pb)	
Limit (mg/kg)	100	
Sample No.	Sample Type	Results (mg/kg)
1	Nonmetal	BDL
2	Nonmetal	BDL
3	Nonmetal	BDL
4	Nonmetal	BDL
5	Nonmetal	BDL

BDL = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



Item 5: Results for CPSIA Section 108 & 16 CFR 1307, Phthalates
Test Method: CPSC-CH-C1001-09.3 & CPSC-CH-C1001-09.4
Analytical Method: Gas Chromatography with Mass Spectrometry

According to the Consumer Product Safety Improvement Act of 2008, the presence of three phthalates, DBP, BBP, and DINP, above 0.1% is prohibited in children's toys. Also, seven additional phthalates, DnOP, DINP, and DIDP, DIBP, DPENP, DHEXP, DCHP, are prohibited at a concentration of more than 1000 ppm in child care articles or toys that can be placed in a child's mouth or brought to the mouth. The 1000 ppm limit for the ten banned phthalates applies to each individual phthalate, not the total amount of these phthalates in the product.

Table with 11 columns: Phthalate, DEHP, DBP, BBP, DINP, DIDP, DIBP, DPENP, DHEXP, DCHP, DnOP. Rows include Limit (mg/kg) at 1K, Sample No. 1-5, and Results (mg/kg) all showing ND.

ND = <100 mg/kg

ppm = parts per million = mg/kg = milligrams per kilogram

Item 6: Results for Washington / Maine, Phthalate
Test Method: CPSC-CH-C1001-09.3 & CPSC-CH-C1001-09.4
Analytical Method: Gas Chromatography with Mass Spectrometry

Table with 2 columns: Phthalate, DEP. Rows include Limit (mg/kg) at 1000, Sample No. 1-5, and Results (mg/kg) all showing ND.

ND = <100 mg/kg for phthalates

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

Item 7: Results for California Prop. 65, Phthalates
 Test Method: CPSC-CH-C1001-09.3 & CPSC-CH-C1001-09.4
 Analytical Method: Gas Chromatography with Mass Spectrometry

California Prop. 65: Phthalates						
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DnHP
Limit (mg/kg)	1000	1000	1000	1000	1000	1000
Sample No.	Results (mg/kg)					
1	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND

ND = <100 mg/kg for phthalates ppm = parts per million = mg/kg = milligrams per kilogram
 This data is for informational purposes only.

Item 8: Results for California Prop.65, Total Lead and Cadmium
 Test Method: CPSC-CH-E1003-09.1, CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

California Prop. 65: Total Lead and Cadmium		
Analyte	Lead (Pb)	Cadmium (Cd)
Limit (mg/kg)	90	75
Sample No.	Results (mg/kg)	
1	BDL	BDL
2	BDL	BDL
3	BDL	BDL
4	BDL	BDL
5	BDL	BDL

BDL = <10ppm ppm = parts per million = mg/kg = milligrams per kilogram
 This data is for informational purposes only.

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

Item 9: Results for testing according to **CPSA Section 14(a)(5) / CPSIA Section 103 Tracking Label** are listed below

Tracking label found on the packaging:

Requirement	Pass	Fail
Identification of Manufacturer or Private Labeler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Location of Production of Product (Name of the country, <i>and</i> city, state or administrative region, as appropriate)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Date of Production of Product	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cohort Information (including batch, run number or other identifying characteristic)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/> Unable to ascertain	
Label Permanency	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Legible	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Tracking label found on the product:

Requirement	Pass	Unable to ascertain
Identification of Manufacturer or Private Labeler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Location of Production of Product (Name of the country, <i>and</i> city, state or administrative region, as appropriate)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Date of Production of Product	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cohort Information (including batch, run number or other identifying characteristic)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Label Permanency	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Legible	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Label Review: Country of Origin Marking 19 CFR 134

Newtown Square, PA Made in Guangzhou, China	Notes: Made in China
--	----------------------

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

Item 10: 16 CFR 1262 – Safety Standard for Magnets

1262.2 Definitions:

The following definitions apply for purposes of this part:

(a) Hazardous magnet means a magnet that fits entirely within the cylinder described in 16 CFR 1501.4 and that has a flux index of 50 kG² mm² or more when tested in accordance with the method described in 1262.4.

(b) Subject magnet product means a consumer product that is designed, marketed, or intended to be used for entertainment, jewelry (including children's jewelry), mental stimulation, stress relief, or a combination of these purposes, and that contains one or more loose or separable magnets, but does not include products sold and/or distributed solely to school educators, researchers, professionals, and/or commercial or industrial users exclusively for educational, research, professional, commercial, and/or industrial purposes.

Results: According to the 16 CFR 1262 magnet safety, the final rule does apply to this product. The products listed in the final rule apply to consumer products that are designed, marketed, or intended to be used for: entertainment, jewelry (including children's jewelry), mental stimulation, stress relief, or a combination of these purposes, containing one or more loose or separable magnets. The product provided by the client did not have loose or separate magnets which makes the product pass this regulation.

1262.3 Requirements:

Each loose or separable magnet in a subject magnet product that fits entirely within the cylinder described in 16 CFR 1501.4 must have a flux index of less than 50 kG² mm² when tested in accordance with the method described in § 1262.4.

F.Y.I.

Component	Flux Index \geq 50 (kG) ² x (mm) ²	Small Part as-received
1	378.0	No

F.Y.I. = For Your Information

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

SAMPLE PHOTOS:



This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

AM Testing & Services

24451 Sandhill Blvd • Punta Gorda, FL 33983 • Telephone: 708-907-5252 • AMTestinginc.com

Page 18 of 19

Revision 1 Date: 07/18/2023



*** END OF REPORT ***

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. The test report applies to samples as-received. Anyone relying on this report should understand all of the details of the engagement. Conformance accepted based upon simple acceptance. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.