

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

1. IDENTIFICATION

Product identifier

Product Name TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Brother Industries, Ltd.
15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan
Telephone (for information): +81-52-824-2735

Supplier Address Brother International Corporation
200 Crossing Boulevard, Bridgewater, NJ 08807, USA
Telephone (for information): +1-877-276-8437

Emergency telephone number

Emergency Telephone CHEMTREC +1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance

Physical state: Solid Powder **Odor:** Odorless

Other Information

Unknown acute toxicity

99 % of the mixture consists of ingredient(s) of unknown toxicity

89 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Styrene-acrylate-copolymer	25767-47-9	65-75	*
Fatty acid ester	**	8-18	*
Carbon Black (bound)	1333-86-4	4-14	*
Styrene-acrylate Resin	**	<7	*
PMMA	9011-14-7	1-5	*
Silicon dioxide (amorphous)	112945-52-5	<3	*
Silicon Dioxide (amorphous)	7631-86-9	<3	*
Silicon dioxide (amorphous)	844491-94-7	<3	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

** Trade secret

4. FIRST AID MEASURES

Description of first aid measures

Inhalation Remove to fresh air.

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Inhalation (dust) : For large quantities: May cause irritation to the respiratory system. Increased difficulty in breathing. Sneezing. Coughing
Eye contact: May cause eye irritation
Skin contact: : Repeated and/or prolonged skin contact may cause irritation
Ingestion: May cause stomach ache. Unlikely route of exposure

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use water jet.

Specific hazards arising from the chemical May form explosive dust clouds in air

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas

Methods and material for containment and cleaning up

Methods for containment Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due to pore size in the bag or filter.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high concentrations of dust. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Black (bound) 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Silicon Dioxide (amorphous) 7631-86-9	No data available	(vacated) TWA: 6 mg/m ³ <1% Crystalline silica TWA: 20 mppcf : (80)/(%) SiO ₂ mg/m ³ TWA	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³
--	-------------------	--	--

Appropriate engineering controls

Engineering controls Good general ventilation should be sufficient under normal use.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Physical state Solid Powder
Color black
Odor Odorless
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Kinematic viscosity	No data available	None known
Dynamic viscosity		None known
Explosive properties	No information available	Explosive limits of toner particles suspended in air approximately equal to that of coal dust.
Oxidizing properties	No information available	
<u>Other Information</u>		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Keep away from heat. Avoid friction, sparks, or other means of ignition
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Product Information

Inhalation	Acute LC ₅₀ > 5.2 mg/l/4h (OECD 436 method)
Eye contact	No information available
Skin contact:	No information available
Ingestion	Acute LD ₅₀ > 2000 mg/kg (OECD 420 method)
Skin corrosion/irritation	Non-irritant (OECD 404 method) pH: Not applicable
Serious eye damage/irritation	Minimal irritant to the eye (OECD 405 method) pH: Not applicable

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Respiratory or skin sensitization It is not a skin sensitizer (OECD 429 method)

Germ cell mutagenicity AMES test : Negative (OECD 471 method)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.
Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA

12. ECOLOGICAL INFORMATION

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon Black (bound) 1333-86-4	-	-	-	5600: 24 h Daphnia magna mg/L EC50
Silicon Dioxide (amorphous) 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	-	7600: 48 h Ceriodaphnia dubia mg/L EC50

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO (air)</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Exempt
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Exempt
AICS	Complies

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

US Federal Regulations



SAFETY DATA SHEET

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbon Black (bound) 1333-86-4	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Section 9: Physical and chemical properties -
<u>HMIS</u>	Health hazards 0	Flammability 0	Physical hazards 0	Personal protection X

Issuing Date 04-Apr-2016

Revision Date 11-Jan-2019



SAFETY DATA SHEET

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Revision Note

No information available.

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

End of Safety Data Sheet