

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Revision Date: 2017/04/24

1.0

SDS Number:

Date of last issue: -

660000004481 Date of first issue: 2017/04/24

#### **SECTION 1. IDENTIFICATION**

PALMOLIVE ANTIBACTERIAL DISHWASHING HAND Product name

> LIQUID ORANGE B02941120010

Product code 200000044245

Manufacturer or supplier's details

Company name of supplier Colgate-Palmolive Co

> 300 Park Avenue New York, NY 10022

Telephone US: Consumer Affairs - 1-800-468-6502

Emergency telephone num-

ber

For emergencies involving spill, leak, fire, exposure or acci-

dent call CHEMTREC (24hr) at (800) 424-9300 or

(703) 527-3887.

Recommended use of the chemical and restrictions on use

Recommended use : A formulated dishwashing liquid

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Eye irritation Category 2A

**GHS** label elements

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements **Prevention:** 

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
3-Lauroylamidopropyl betaine	4292-10-8	>= 5 - < 10
L(+)-LACTIC ACID	79-33-4	>= 1 - < 3
SODIUM CHLORIDE	7647-14-5	>= 1 - < 5
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 0.1 -< 1

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

Revision Date: 2017/04/24

SDS Number: 660000004481 Date of last issue: -

Date of first issue: 2017/04/24

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

#### **SECTION 5. FIREFIGHTING MEASURES**

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Neutralize with chalk, alkali solution or ammonia.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

0	OAO NE	1/-1 4	0	D:-
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
ETHANOL (ETHYL	64-17-5	STEL	1,000 ppm	ACGIH
ALCOHOL)			, ,,	
		TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA P0
			1,900 mg/m3	

### Hazardous components without workplace control parameters

Components	CAS-No.
3-Lauroylamidopropyl betaine	4292-10-8
L(+)-LACTIC ACID	79-33-4
SODIUM CHLORIDE	7647-14-5

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : orange

pH : 3.25

Flash point : 210 °F

Density : 1.049 g/cm3

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

#### **Components:**

## 3-Lauroylamidopropyl betaine:

Acute oral toxicity : LD50 (Rat): 2,335 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

L(+)-LACTIC ACID:

Acute oral toxicity : LD50 (Rat): 3,730 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7.94 mg/l

Exposure time: 4 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: No information available.

**SODIUM CHLORIDE:** 

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 42,000 mg/l

Exposure time: 1 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Method: No information available.

ETHANOL (ETHYL ALCOHOL):

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 124.7 mg/l

Exposure time: 4 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 15,800 mg/kg

Method: No information available.

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks: May cause skin irritation and/or dermatitis.

Components:

3-Lauroylamidopropyl betaine:

Result: Skin irritation

L(+)-LACTIC ACID:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

Result: Severe skin irritation

#### **SODIUM CHLORIDE:**

Result: No skin irritation

## ETHANOL (ETHYL ALCOHOL):

Result: No skin irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Components:**

## 3-Lauroylamidopropyl betaine:

Result: Moderate eye irritation

#### L(+)-LACTIC ACID:

Result: Risk of serious damage to eyes.

#### **SODIUM CHLORIDE:**

Result: Mild eye irritation

#### ETHANOL (ETHYL ALCOHOL):

Result: Irritation to eyes, reversing within 21 days

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### **Components:**

## 3-Lauroylamidopropyl betaine:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

### L(+)-LACTIC ACID:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

Result: Does not cause skin sensitisation.

#### **SODIUM CHLORIDE:**

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

#### ETHANOL (ETHYL ALCOHOL):

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

IARC This finished consumer product is not expected to exhibit car-

cinogenic effects. Exposure through ingestion of Ethanol (64-17-

5) is not applicable to the intended use of this product.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### **Further information**

#### **Product:**

Remarks: This product has not been tested as a whole. However, this formula was reviewed by



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

#### **SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

### **SECTION 14. TRANSPORT INFORMATION**

**DOT** : Not regulated.

**TDG**: Not regulated.

IATA : Not regulated.

**IMDG**: Not regulated.

ADR : NOT REGULATED.

#### International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

## **National Regulations**

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
METHANOL	67-56-1	100	100 (F003)
METHANOL	67-56-1	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
SULFURIC ACID	7664-93-9	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

SULFURIC ACID 7664-93-9

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

SULFURIC ACID 7664-93-9

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

## Massachusetts Right To Know

SULFURIC ACID 7664-93-9



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

#### Pennsylvania Right To Know

WATER 7732-18-5
C12-C15 0.6EO Ammonium Sulfate 125301-89-5
3-Lauroylamidopropyl betaine 4292-10-8
AMMONIUM SULFATE 7783-20-2
METHANOL 67-56-1
SODIUM SULFATE 7757-82-6

#### New Jersey Right To Know

WATER 7732-18-5
C12-C15 0.6EO Ammonium Sulfate 125301-89-5
3-Lauroylamidopropyl betaine 4292-10-8
L(+)-LACTIC ACID 79-33-4
SODIUM CHLORIDE 7647-14-5
ETHANOL (ETHYL ALCOHOL) 64-17-5

California Prop. 65 : This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

#### The components of this product are reported in the following inventories:

TSCA : All ingredients in this product are listed on the TSCA Inventory

or are not required to be listed on the TSCA Inventory.

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.


Version Revision Date: SDS Number: Date of last issue: -

1.0 2017/04/24 660000004481 Date of first issue: 2017/04/24

Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### NFPA:



#### HMIS® IV:

HEALTH	* 2
FLAMMABILITY	1
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 2017/04/24

US / EN