# CORPOBION PARTNERSHIP. POSSIBILITIES.

# SAFETY DATA SHEET

## **SECTION 1: PRODUCT IDENTIFICATION**

**PRODUCT:** Hand Sanitizer

**Product Label Name**: Dawn Mist Alcohol Gel Hand Sanitizer

Company Name and Address: Dukal Corporation 2 Fleetwood Court

Ronkonkoma, NY 11779

**Emergency Telephone Number**: 631-656-3800

**Recommended use:** This product is intended for use as a sanitizer to decrease

bacteria on skin. It is expected to contact the skin. It is for

external use only.

## **SECTION 2: HAZARDOUS IDENTIFICATION**

Hazard Class/Category: Flammable Liquid - 3

Hazardous Classification: This material contains components that are considered

hazardous by the OSHA Hazard Communication Standard (29

CFR 1910.1200). Flammable

Signal Word, Cautions or

**Hazard Symbol:** 

Precautionary statements: WARNING. Keep out of reach of children. Flammable.

Target Organs: Respiratory system, skin, eyes, CNS, liver, blood and

reproductive system.

**Potential Health Effects:** See Section 11 for more information.

Symptoms of Exposure: Inhalation: May cause irritation of the respiratory tract. Exposure at High

concentrations may cause dizziness, drowsiness, headaches,

mental confusion, and lung damage.

**Ingestion**: May cause nausea, vomiting and diarrhea. . Large

concentrations may cause irritation of nasal, esophageal and digestive tract. A large dose may cause may cause dizziness, drowsiness, headaches, mental confusion, and lung damage.

**Eyes:** May cause irritation to the eyes.

**Skin**: None expected except prolonged contact may result in irritation

and dermatitis.

Carcinogens: This product does not contain any carcinogens or potential

carcinogens as listed by OSHA, IARC or NTP.). Potential Environmental Effects: See Section 12 for more information.



## **SECTION 3: INFORMATION ON INGREDIENTS**

Hazardous Components	OSHA PEL	ACGIH TLV	Concentration
(Specific Chemical identity:			
Common Name(s))			
Ethanol CAS: 64-17-5	1000ppm	1000ppm	63%

This product contains no SARA 313 reportable substances.

## **SECTION 4: FIRST-AID MEASURES**

#### Emergency first aid procedures by route of exposure:

**Inhalation**: If symptoms are experience, remove source of contamination or

move victim to fresh air. If affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen.

Seek medical attention.

**Ingestion**: Do not induce vomiting. If the material is swallowed have victim

drink 1-3 glasses of water to dilute stomach contents. Seek

medical attention or advice.

Skin: If irritation is experienced, flush with water. If irritation persists,

seek medical attention.

**Eyes**: Immediately flush eyes with water for at least 15 minutes

## **SECTION 5: FIRE-FIGHTING MEASURES**

Flash Point: 71°F (21.6°C)
Method Used: ASTM D-93

Lower Flammable Limit:3.3 (Volume % in air)Upper Flammable Limit:19.0 (Volume % in air)

Auto Ignition: 363°C

Flammability Classification: Flammable Liquid IB Extinguishing Media: Use methods

appropriate for the surrounding fire. Consider water spray or fog, carbon dioxide, dry chemical powder, or alcohol resistant

foam.

**Products of Combustion:** Upon decomposition this product may emit carbon dioxide,

carbon monoxide and/or low molecular weight hydrocarbons.

Fire Fighting Equipment/Instructions: Wear protective clothing and equipment suitable for the

surrounding fire, including helmet, facemask, and self-contained

breathing apparatus.

NFPA Rating: Health: 2

Fire: 3 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**OSHA Standard Format** 

# CORPOBON N

# **SAFETY DATA SHEET**

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions: For large spills wear gloves, safety glasses and when levels

exceed OSHA PEL use appropriate NIOSH approved respiratory protection. Keep unnecessary personnel away. Eliminate all sources of ignition or flammables that may come into contact

with a spill of this material.

**Environmental Precautions**: Prevent discharge to open waters.

Method for Containment: Absorb spilled liquid in suitable non-flammable inert material

such as clay, vermiculite or diatomaceous earth.

**Methods for Clean-Up:** Ventilate area of leak or spill. Use spark-proof tools to sweep or

scrape up and containerize in approved chemical waste

container. Wash spill area with water.

## **SECTION 7: HANDLING AND STORAGE**

Handling: Keep away from heat, sparks and flame. Prevent contact with

eyes. Avoid inhalation. Use in well ventilated area

**Storage**: Keep the container tightly closed and in a cool, well ventilated

place.

## **SECTION 8: EXPOSURE CONTROLS**

Ethanol (64-17-5)

ACGIH: 1,000 ppm TWA

**OSHA**: 1,000 ppm TWA; 1,900 mg/m3 TWA

Engineering Controls: Normal room ventilation is usually adequate under normal use.

Personal Protective Equipment (PPE)

**Eye/Face Protection**: None needed under normal use – Wear goggles if exposed to

unusual amount and splashing

**Skin Protection**: None needed under normal use - Wear overalls or apron if

splashing is possible

**Respiratory Protection**: None needed under normal use. May be needed if vapor

concentration is high.

**General Hygiene** 

**Considerations**: None needed under normal use.



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Color: Clear Gel Odor: Alcohol PH: 7.5 typical Vapor Density: Not Available **Boiling Point:** Not Available Vapor Pressure: Not Available **Melting Point:** Not Available **Freezing Point:** Not Available

Flash Point (see section 5)

Flammability Properties (see section 5)
Solubility (in water): Soluble
Specific Gravity @ 25°C: 0.88-0.92
Evaporation Rate: Less than 1
Octanol/Water partition coefficient: Not Available
Auto-ignition temperature: Not Available
Decomposition temperature: Not Available

## **SECTION 10: STABILITY AND REACTIVITY**

Stability: Stable under normal ambient temperatures 70°C (21°C)

**Condition to Avoid:** Avoid excessive heat or sources of ignition.

**Incompatible Materials**: This product reacts with strong acid, strong bases, and oxidizing

agents.

**Hazardous Decomposition**: Upon decomposition, this product evolves carbon monoxice,

carbon dioxide, and/or low weight hydrocarbons.

**Hazardous Reactions**: Hazardous polymerization will not occur.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS:

**A: General Product information** Product contains isopropanol (isopropyl alcohol).

**B: Acute Toxicity** Low order of acute toxicity is possible.

CHRONIC EFFECTS: Component

Ethanol (64-17-5)

Carcinogenicity: ACGIH A4 – Not Classifiable as a Human Carcinogen

Neurotoxicity: This product contains ethanol (ethyl alcohol), a central

nervoussystem target.

Mutagenicity:No information available for product.Reproductive:No information available for product.

**Developmental**: Ethanol is a developmental toxin when consumed during

pregnancy.

Target Organs: When consumed, ethanol can target the respiratory

system, skin, eyes, CNS, liver, blood and reproductive system.

**OSHA Standard Format** 



#### **Section 12: ECOLOGICAL INFORMATION**

Solutions of alcohols are toxic to aquatic life at moderate to low concentrations. No long-term ecological effects are likely.

Concentrated solutions of alcohols and surfactants may cause damage to aquatic and terrestrial plants

## **Section 13: DISPOSABLE CONSIDERATIONS**

Dispose in accordance with federal state and local regulations. Labels should not be removed from containers until they have been cleaned. Do not cut, puncture or weld near container. Do not incinerate closed containers. Empty containers may contain hazardous residues. Dispose of containers with care.

## **Section 14: TRANSPORTATION INFORMATION**

DOT 49 CFR 172.101 Data, IAW DOT 49 CFR 173.2a

**UN Proper Shipping Name:** Ethanol Solution

Hazard Class: 3 - Flammable Liquid

UN Number: UN 1170

Packaging Group:

Label Code: 3

## Section 15: REGULATORY INFORMATION

Labeling Information: Flammable



## **SECTION 16: OTHER INFORMATION**

Issue Date: 3-26-14
Revision Date: 4-29-16

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

This document was created with Win2PDF available at <a href="http://www.win2pdf.com">http://www.win2pdf.com</a>. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.