

Version 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Professional CRT HE/ Clean Foam	ALTHY SOAP™ Naturally
Manufacturer or supplier's	details	
Company name of supplier	: GOJO Industries, Inc.	
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: 1-800-424-9300 CHEMTREC	
Recommended use of the c	hemical and restrictions on use	
Recommended use	: Skin-care	
Restrictions on use	: This is a personal care or cosmet consumers and other users unde foreseeable use. Cosmetics and specifically defined by regulations exempt from the requirement of a While this material is not conside contains valuable information crit proper use of the product for indu as well as unusual and unintende spills. This SDS should be retained employees and other users of this intended-use guidance, please re provided on the package or instru-	r normal and reasonably consumer products, s around the world, are in SDS for the consumer. red hazardous, this SDS ical to the safe handling and istrial workplace conditions ed exposures such as large ed and available for s product. For specific effer to the information

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning



rsion 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
Hazard statements	: H226 Flammable liquid and vap H319 Causes serious eye irritat	
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/spa No smoking. P233 Keep container tightly close P240 Ground/bond container ar P241 Use explosion-proof elect equipment. P242 Use only non-sparking too P243 Take precautionary meas P280 Wear eye protection/ face <b>Response:</b> P305 + P351 + P338 IF IN EYE for several minutes. Remove co to do. Continue rinsing. P337 + P313 If eye irritation per attention. P370 + P378 In case of fire: Us alcohol-resistant foam to exting <b>Storage:</b> P403 + P235 Store in a well-ver <b>Disposal:</b> P501 Dispose of contents/ cont disposal plant.</li> </ul>	sed. nd receiving equipment. rrical/ ventilating/ lighting/ ols. ures against static discharge. protection. S: Rinse cautiously with water ontact lenses, if present and eas rsists: Get medical advice/ e dry sand, dry chemical or uish. ntilated place. Keep cool.

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 10 - < 20
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water

\_



# PURELL® Professional CRT HEALTHY SOAP™ Naturally Clean Foam

Version 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
	for at least 15 minutes. If easy to do, remove contact ler Seek medical advice.	ns, if worn.
If swallowed	: If swallowed, DO NOT induce vo Rinse mouth with water. Obtain medical attention.	pmiting.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay and use the recommended prote	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Nitrogen oxides (NOx) Metal oxides
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



Version 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area Keep people away from and upw Material can create slippery cond	rind of spill/leak.
Environmental precautions	: Discharge into the environment r Prevent further leakage or spillag Retain and dispose of contamina Local authorities should be advis cannot be contained.	ge if safe to do so. Ited wash water.
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be use Soak up with inert absorbent mai Suppress (knock down) gases/va spray jet.</li> <li>Keep in suitable, closed contained Clean contaminated floors and o observing environmental regulation</li> </ul>	terial. apours/mists with a water ers for disposal. bjects thoroughly while

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Keep away from heat.</li> <li>Use with local exhaust ventilation.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1



Version 1.1	SDS Number: 40000005452 Revision Date: 10/26/	/2017
Personal protective equipm	ent	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Hand protection Remarks	: No special protective equipment required.	
Eye protection	: Wear face-shield and protective suit for abnormal process problems.	sing
Skin and body protection	: No special measures necessary provided product is used correctly.	
Protective measures	<ul> <li>Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and the specific work-place.</li> <li>Ensure that eye flushing systems and safety showers are located close to the working place.</li> </ul>	
Hygiene measures	: Handle in accordance with good industrial hygiene and sa practice. Avoid contact with eyes.	afety

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless, light yellow
Odour	: like fruit
Odour Threshold	: No data available
рН	: 5.5 - 7.2, (20 °C)
Solidification / Setting point	: -4.6 °C
Initial boiling point and boiling range	: 77 °C
Flash point	: 32.8 °C
Flash point Evaporation rate	: 32.8 °C : No data available
Evaporation rate	: No data available
Evaporation rate Flammability (solid, gas)	<ul><li>No data available</li><li>Not applicable</li></ul>
Evaporation rate Flammability (solid, gas) Flammability (liquids)	<ul><li>No data available</li><li>Not applicable</li><li>Does not sustain combustion.</li></ul>



Version 1.1	SDS Number: 40000005452 Revision Date: 10/26/2			
Relative vapour density	: No data available			
Density	: 0.98 g/cm3			
Partition coefficient: n- octanol/water	: Not applicable			
Auto-ignition temperature	: No data available			
Thermal decomposition	: The substance or mixture is not	t classified self-reactive.		
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)			
Explosive properties	: Not explosive			
Oxidizing properties	: The substance or mixture is not	classified as oxidizing.		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

<b>Information on likely route</b> Inhalation Eye contact Skin contact	s of exposure
Acute toxicity Not classified based on avail	able information.
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour

Species: Mouse



sion 1.1	SDS Number: 400000005452	Revision Date: 10/26/207
Sodium Laureth Sulfate: Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or toxicity	mixture has no acute oral
<b>Glycerin:</b> Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Skin corrosion/irritation		
Not classified based on avai	ilable information.	
Product: Assessment: Not irritating w Result: No skin irritation	hen applied to human skin.	
<u>Components:</u> Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideli Result: No skin irritation	ne 404	
Sodium Laureth Sulfate: Result: Skin irritation		
<b>Glycerin:</b> Result: No skin irritation		
Serious eye damage/eye i	rritation	
Causes serious eye irritation	۱.	
Components: Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, rev Method: OECD Test Guideli		
<b>Sodium Laureth Sulfate:</b> Result: Eye irritation Remarks: Severe eye irritati	on	
<b>Glycerin:</b> Result: No eye irritation		
	<b>isation</b> ified based on available information. ot classified based on available inform	nation.
Components:		
Ethyl Alcohol: Test Type: Local lymph nod		
Exposure routes: Skin conta Species: Mouse	act	



sion 1.1	SDS Number: 400000005452	Revision Date: 10/26/2
Result: negative		
Germ cell mutagenicity		
Not classified based on a	vailable information.	
Components:		
Ethyl Alcohol:		
Genotoxicity in vitro	: Test Type: In vitro mammalian Result: negative	cell gene mutation test
Genotoxicity in vivo	: Test Type: Rodent dominant let Test species: Mouse Application Route: Ingestion Result: negative	hal test (germ cell) (in vivo)
Glycerin:		
Genotoxicity in vitro	: Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative	cell gene mutation test 476
Carcinogenicity		
Not classified based on a	vailable information.	
<b>Glycerin:</b> Species: Rat Application Route: Ingest Exposure time: 2 Years Result: negative	ion	
IARC	No component of this product pres equal to 0.1% is identified as proba human carcinogen by IARC.	
OSHA	No component of this product presequal to 0.1% is identified as a carcarcinogen by OSHA.	
NTP	No component of this product presequal to 0.1% is identified as a know by NTP.	
Reproductive toxicity		
Not classified based on a	vailable information.	
Components:		
Ethyl Alcohol:	: Test Type: Two-generation rep	oduction toxicity study



oam		
ersion 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
<b>Glycerin:</b> Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative	oduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal develor Species: Rabbit Application Route: Ingestion Result: negative	opment
<b>STOT - single exposure</b> Not classified based on availal	ble information.	
STOT - repeated exposure Not classified based on availal	ble information.	
Repeated dose toxicity		
<u>Components:</u> Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y		
Sodium Laureth Sulfate: Repeated dose toxicity - Assessment	: Causes serious eye irritation.	
<b>Glycerin:</b> Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation ( Exposure time: 13 w Symptoms: Local irritation	dust/mist/fume)	
Aspiration toxicity Not classified based on availal	ble information.	
ECTION 12. ECOLOGICAL INFO		
Ecotoxicity		
Components:		
components.		
Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fa Exposure time: 96 h	thead minnow)): > 1,000 mg/l



sion 1.1	SDS Number: 400000005452	Revision Date: 10/26/2
Toxicity to algae	: EC50 (Chlorella vulgaris (Fr Exposure time: 72 h Method: OECD Test Guideli	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Wa Exposure time: 9 d	ater flea)): 9.6 mg/l
Toxicity to bacteria	: EC50 (Photobacterium phos Exposure time: 0.25 h	sphoreum): 32.1 mg/l
<b>Glycerin:</b> Toxicity to fish	: LC50 (Oncorhynchus mykis Exposure time: 96 h	s (rainbow trout)): 54,000 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Wat Exposure time: 48 h	ter flea)): 1,955 mg/l
Toxicity to bacteria	: NOEC (Pseudomonas putid Exposure time: 16 h	a): > 10,000 mg/l
Persistence and degradabilit	у	
Components:		
Ethyl Alcohol: Biodegradability	: Result: Readily biodegradab Biodegradation: 84 % Exposure time: 20 d	ole.
Sodium Laureth Sulfate: Biodegradability	: Result: Readily biodegradab	ole.
<b>Glycerin:</b> Biodegradability	: Result: Readily biodegradab Biodegradation: 94 % Exposure time: 1 d	ole.
Bioaccumulative potential		
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
	: log Pow: -1.76	
<b>Glycerin:</b> Partition coefficient: n- octanol/water	,	



Version 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
<b>Other adverse effects</b> No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, nor was manufactured with Class I or Class II ODS as defined by the U.S. Clean Air Section 602 (40 CFR 82, Subpt. A, App.A + B).	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

0	
IATA-DGR UN/ID No. Proper shipping name Class Packing group Packing instruction (cargo aircraft) Packing instruction	: UN 1170 : Ethanol solution : 3 : III : 366 : 355
(passenger aircraft)	
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant National Regulations	: UN 1170 : ETHANOL SOLUTION : 3 : III : 3 : F-E, S-D : no
<b>49 CFR</b> UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1170 : Ethanol solutions : 3 : III : 127 : no



 Version 1.1
 SDS Number: 40000005452
 Revision Date: 10/26/2017

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

	0,	0			5	
	CERCLA Reportable (	Quantity				
	This material does not	contain an	y components	with a	a CERCLA RQ.	
SARA 304 Extremely Hazardous Substances Reportable Quantity			ortable Quantity			
	This material does not	contain an	y components	with a	a section 304 EHS RQ.	
	SARA 311/312 Hazard	s :	Fire Hazard Acute Health	Haza	ard	
	SARA 302	:			nis material are subject to the reporting ARA Title III, Section 302.	
	SARA 313	:	known CAS r	numbe	s not contain any chemical components with pers that exceed the threshold (De Minimis) stablished by SARA Title III, Section 313.	

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): Ethyl Alcohol 64-17-5 17.62 % Glycerin 56-81-5 1.75 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

Massachusetts Rig	ht To Know			
Eth	yl Alcohol	64-17-5	10 - 20 %	
Gly	cerin	56-81-5	1 - 5 %	
Pennsylvania Right	t To Know			
Wa	ter (Aqua)	7732-18-5	70 - 90 %	
Eth	yl Alcohol	64-17-5	10 - 20 %	
Gly	cerin	56-81-5	1 - 5 %	
Isop	propyl Alcohol	67-63-0	0.1 - 1 %	
New Jersey Right To Know				
Wa	ter (Aqua)	7732-18-5	70 - 90 %	
Eth	yl Alcohol	64-17-5	10 - 20 %	
Soc	lium Laureth Sulfate	68585-34-2	1 - 5 %	
Gly	cerin	56-81-5	1 - 5 %	




Version 1.1	SDS Number: 400000005452	Revision Date: 10/26/2017
California Prop 65	This product does not contain any of California to cause cancer, birth reproductive harm.	
The components of this product are reported in the following inventories:		
TSCA	: On the inventory, or in compliance	e with the inventory
AICS	: On the inventory, or in compliance	e with the inventory
DSL	: On the inventory, or in compliance	e with the inventory
ENCS	: On the inventory, or in compliance	e with the inventory
ISHL	: On the inventory, or in compliance	e with the inventory
KECI	: On the inventory, or in compliance	e with the inventory
PICCS	: On the inventory, or in compliance	e with the inventory
IECSC	: On the inventory, or in compliance	e with the inventory
NZIoC	: On the inventory, or in compliance	e with the inventory

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

### **Further information**



Revision Date : 10/26/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as



Version 1.1

SDS Number: 40000005452

Revision Date: 10/26/2017

a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.