

# SAFETY DATA SHEET

### 1. Identification

Product identifier	51604A Rev B
Other means of identification	Not available.
Recommended use	Inkjet printing
<b>Recommended restrictions</b>	None known.
Company identification	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020
	HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com
2. Hazard(s) identificatio	on and a second s
Physical bazards	Not classified

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
	Specific target organ toxicity, repeated exposure (oral)	Category 2 (kidney)
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	May cause an allergic skin reaction. May caus repeated exposure.	e damage to organs (Kidney) through prolonged or
Precautionary statement		
Prevention	P280 - Wear protective gloves/protective clot P260 - Do not breathe dust/fume/gas/mist/va	
Response	P302 + P352 - IF ON SKIN: Wash with plenty P333 + P313 - If skin irritation or rash occurs P314 - Get medical attention/advice if you fee P363 - Wash contaminated clothing before re	: Get medical advice/attention. el unwell.
Storage	Not available.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Potential routes of overexposure to this produ Inhalation of vapor and ingestion are not exp product under normal use conditions.	uct are skin and eye contact. ected to be significant routes of exposure for this
	Complete toxicity data are not available for th Contains Food Black 2 acid salt.	nis specific formulation.
Supplemental information	None.	

### **3.** Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	30-40
2-pyrrolidone		616-45-5	<30
Ethylene glycol		107-21-1	<25
Alkyldiol		Proprietary	<7.5
Food Black 2 Acid Salt # 3		Proprietary	<5
Composition comments	This ink supply contains an aqueous ink formulat This product has been evaluated using criteria sp Communication Standard).		200 (Hazarc
4. First-aid measures			
Inhalation	Move to fresh air. If symptoms persist, get medi	cal attention.	
Skin contact	Wash affected areas thoroughly with mild soap a develops or persists.	and water. Get medical at	tention if irritation
Eye contact	Do not rub eyes. Immediately flush with large ar least 15 minutes or until particles are removed.		
Ingestion	If ingestion of a large amount does occur, seek i	medical attention.	
Most important symptoms/effects, acute and delayed	Not available.		
5. Fire-fighting measures	S		
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.		
Unquitable extinguishing	Nono known		

Suitable extinguishing media	bry chemical, coz, water spray of regular roam.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Specific methods	None established.
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

## 7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. ACGIH Threshold Limit Values				
Components	Туре	Value	Form	
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.	
<b>Biological limit values</b>	No biological exposure limits noted for	or the ingredient(s).		

Exposure guidelines	Exposure limits have not been established for this product.
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7 - 7.4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	For other VOC regulatory data/information see Section 15.
VOC (Weight %)	< 578 g/l

## 10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Not available.
Incompatible materials	Incompatible with strong bases and oxidizing agents.

#### **11.** Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics	Not available.			
Information on toxicological e	ffects			
Acute toxicity	Based on available data, the classification criteria are not met.			
Skin corrosion/irritation	Based on available data, the classification criteria are not met.			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory or skin sensitization	on			
Respiratory sensitization	Based on available data, the classificat	ion criteria are not met.		
Skin sensitization	May cause sensitization by skin contac	t.		
Germ cell mutagenicity	Based on available data, the classificat	ion criteria are not met.		
Carcinogenicity	Based on available data, the classificat	ion criteria are not met.		
Reproductive toxicity	Based on available data, the classificat	ion criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classificat	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.			
Aspiration hazard	Based on available data, the classification criteria are not met.			
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			
Components	Species	Test Results		
2-pyrrolidone (CAS 616-45-5)				
Acute				
<b>Acute</b> Oral				
	Guinea pig	6500 mg/kg		
Oral	Guinea pig Rat	6500 mg/kg 6500 mg/kg		
<i>Oral</i> LD50				
<i>Oral</i> LD50				
<i>Oral</i> LD50 Ethylene glycol (CAS 107-21-1)				
<i>Oral</i> LD50 Ethylene glycol (CAS 107-21-1) <b>Acute</b>				
<i>Oral</i> LD50 Ethylene glycol (CAS 107-21-1) <b>Acute</b> <i>Dermal</i>	Rat	6500 mg/kg		
<i>Oral</i> LD50 Ethylene glycol (CAS 107-21-1) <b>Acute</b> <i>Dermal</i> LD50	Rat	6500 mg/kg		
Oral LD50 Ethylene glycol (CAS 107-21-1) Acute Dermal LD50 Oral	Rat Rabbit Cat	6500 mg/kg 9530 mg/kg 1650 mg/kg		
<i>Oral</i> LD50 Ethylene glycol (CAS 107-21-1) <b>Acute</b> <i>Dermal</i> LD50 <i>Oral</i>	Rat Rabbit Cat Dog	6500 mg/kg 9530 mg/kg 1650 mg/kg 5500 mg/kg		
<i>Oral</i> LD50 Ethylene glycol (CAS 107-21-1) <b>Acute</b> <i>Dermal</i> LD50 <i>Oral</i>	Rat Rabbit Cat Dog Guinea pig	6500 mg/kg 9530 mg/kg 1650 mg/kg 5500 mg/kg 8.2 g/kg		
Oral LD50 Ethylene glycol (CAS 107-21-1) Acute Dermal LD50 Oral	Rat Rabbit Cat Dog Guinea pig Mouse	6500 mg/kg 9530 mg/kg 1650 mg/kg 5500 mg/kg 8.2 g/kg 14.6 g/kg		
Oral LD50 Ethylene glycol (CAS 107-21-1) Acute Dermal LD50 Oral LD50	Rat Rabbit Cat Dog Guinea pig	6500 mg/kg 9530 mg/kg 1650 mg/kg 5500 mg/kg 8.2 g/kg		
Oral LD50 Ethylene glycol (CAS 107-21-1) Acute Dermal LD50 Oral LD50 Oral	Rat Rabbit Cat Dog Guinea pig Mouse Rat	6500 mg/kg 9530 mg/kg 1650 mg/kg 5500 mg/kg 8.2 g/kg 14.6 g/kg 5.89 g/kg		
Oral LD50 Ethylene glycol (CAS 107-21-1) Acute Dermal LD50 Oral LD50	Rat Rabbit Cat Dog Guinea pig Mouse	6500 mg/kg 9530 mg/kg 1650 mg/kg 5500 mg/kg 8.2 g/kg 14.6 g/kg		

#### **12. Ecological information**

Ecotoxicity			
Product		Species	Test Results
51604A Rev B (CAS Mixture)			
Aquatic			
Acute	CE0	Eath and mineral (Dimensional and manual a)	
	_C50	Fathead minnow (Pimephales promelas)	
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
<b>Aquatic</b> Crustacea		Water fles (Danhais puloy)	12 21 mg/L 49 hours
	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Ethylene glycol (CAS 107-21-1	)		
<b>Aquatic</b> Fish I	_C50	Esthead minney (Dimenhales premalas)	20E0 mg/L 06 hours
		Fathead minnow (Pimephales promelas)	8050 mg/l, 96 hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Partition coefficient n-octa 2-pyrrolidone	nol / water (le	og Kow) -0.85	
Ethylene glycol		-1.36	
Mobility in soil	Not available.		
Other adverse effects	Not available.		
13. Disposal consideratio	nc		
Disposal instructions		e of together with general office waste. Do	
	Regulations. Ensure collecti	ste material according to Local, State, Fede	
14. Transport information	n		
DOT			
Not regulated as dangerous go	oods.		
IATA			
Not regulated as dangerous go IMDG	oods.		
Not regulated as dangerous go	ode		
ADR			
ADR Not regulated as dangerous goods.			
Further information		us good under DOT, IATA, ADR, IMDG, or	PID
	-		
15. Regulatory information	on		
US federal regulations	US TSCA 12(b)	): Does not contain listed chemicals.	
TCCA Continue 40/b) Francest	Notification (	40 CFR 707, Subpt. D)	
ISCA Section 12(D) Export		, <b>,</b> ,	
Not regulated. CERCLA Hazardous Substan	nce List (40 Cl		
Not regulated.	21-1)	FR 302.4) Listed.	
Not regulated. CERCLA Hazardous Substan Ethylene glycol (CAS 107-	21-1) se notification	FR 302.4) Listed.	

Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes	
	Delayed Hazard - Yes	
	Fire Hazard - No	
	Pressure Hazard - No	
	Reactivity Hazard - No	
SARA 302 Extremely hazardous substance		
Not listed.		
SARA 311/312 Hazardous chemical	No	
Other federal regulations		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
US. Massachusetts RTK - Substance List		
2-pyrrolidone (CAS 616-4	5-5)	
Ethylene glycol (CAS 107		
-	d Community Right-to-Know Act	
Ethylene glycol (CAS 107-21-1)		
US. Pennsylvania Worker and Community Right-to-Know Law		
2-pyrrolidone (CAS 616-4 Ethylene glycol (CAS 107-	•	
US. Rhode Island RTK	-21-1)	
Ethylene glycol (CAS 107	-21-1)	
US. California Proposition		
Not Listed.		
Other information	VOC content (less water, less exempt compounds) = $< 982$ g/L (U.S. requirement, not for emissions) VOC data based on formulation (Organic compounds minus solids)	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
16. Other information, including date of preparation or last revision		
Issue date	26-May-2015	
Revision date	14-Aug-2015	
Version #	02	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
Revision Information	Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) Other information, including date of preparation or last revision: Disclaimer	
Manufacturer information	HP	
	1501 Page Mill Road	
	Palo Alto, CA 94304-1112 US Direct 1-650-857-5020	

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds