

# SAFETY DATA SHEET

1. Identification

**Product identifier** HP LaserJet CF226A-X-XC Print Cartridge

Other means of identification Not available.

Recommended use This product is a toner preparation that is used in HP LaserJet Pro M402, HP LaserJet Pro MFF

M426 series printers.

**Recommended restrictions** 

None known.

**Company identification** HP

> 1501 Page Mill Road Palo Alto, CA 94304-1112

United States

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

None. **Hazard symbol** Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

Not available. **Prevention** Response Not available. Not available. **Storage Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH,

EU, IARC, MAK, NTP or OSHA.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<50
Iron oxide		1317-61-9	<45
Wax	Wax	Proprietary	<15
Amorphous silica	Amorphous silica	7631-86-9	<2

# 4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Material name: CF226A-X-XC SDS US

13791 Version #: 05 Revision date: 03-Nov-2015 Issue date: 16-Oct-2015

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important

symptoms/effects, acute and

delayed

Not available.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

CO2, water, or dry chemical

Special protective equipment

and precautions for firefighters

Not available.

Fire-fighting equipment/instructions If fire occurs in the printer, treat as an electrical fire.

Specific methods

None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

## 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

#### 8. Exposure controls/personal protection

Occupational exposure limits

**US. NIOSH: Pocket Guide to Chemical Hazards** 

**Value** Components **Type** Amorphous silica (CAS **TWA** 6 ma/m3

7631-86-9)

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) **Exposure guidelines** 

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering

controls

Use in a well ventilated area.

Material name: CF226A-X-XC SDS US

13791 Version #: 05 Revision date: 03-Nov-2015 Issue date: 16-Oct-2015

### Individual protection measures, such as personal protective equipment

Not available. **Eye/face protection** 

Skin protection

Hand protection Not available. Other Not available. **Respiratory protection** Not available. Thermal hazards Not available.

## 9. Physical and chemical properties

**Appearance** Fine powder **Physical state** Solid. Color Black.

Odor Slight plastic odor **Odor threshold** Not available. рH Not applicable Not available. Melting point/freezing point Initial boiling point and Not applicable

boiling range

Flash point Not applicable Not applicable **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

**Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available

**Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity** Not applicable

Other information

**Percent volatile** Negligible

Softening point 194 - 284 °F (90 - 140 °C)

Specific gravity 1.4 - 1.8 VOC (Weight %) Not applicable

### 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid** Imaging Drum: Exposure to light

**Incompatible materials** Strong oxidizers

**Hazardous decomposition** Carbon monoxide and carbon dioxide.

products

Material name: CF226A-X-XC SDS US

# 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

> Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Reproductive toxicity Specific target organ toxicity

- single exposure

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**Species Test Results** Components

Amorphous silica (CAS 7631-86-9)

**Acute** Oral

LD50 Mouse > 15000 mg/kg

Species

Rat > 22500 mg/kg

# 12. Ecological information

## **Ecotoxicity**

**Product** 

		- P-0	1 330 1133 4133	
CF226A-X-XC				
Aquatic				
Fish	LC50	Fish	> 100 mg/l, 96 Hours	
Persistence and degrada	<b>bility</b> Not a	vailable.		
Bioaccumulative potenti	al Not a	vailable.		
Mobility in soil	Not a	Not available.		
Other adverse effects	Not a	vailable.		

## 13. Disposal considerations

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

**Test Results** 

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Material name: CF226A-X-XC SDS US

# 15. Regulatory information

**US EPA TSCA Inventory:** All chemical substances in this product comply with all rules or orders

under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

Other federal regulations

**Safe Drinking Water Act** 

(SDWA)

Not regulated.

**US state regulations** Not applicable.

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

Not listed.

**US. Pennsylvania Worker and Community Right-to-Know Law** 

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

Not Listed.

**Regulatory information**All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China

16. Other information, including date of preparation or last revision

**Issue date** 16-Oct-2015 **Revision date** 03-Nov-2015

Version # 05

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Manufacturer information** HP

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CF226A-X-XC SDS US

13791 Version #: 05 Revision date: 03-Nov-2015 Issue date: 16-Oct-2015

# **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF226A-X-XC SDS US