SAFETY DATA SHEET

Scott® Moisturizing Foam Hand Sanitizer

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

SECTION 1. IDENTIFICATION

Product name : Scott® Moisturizing Foam Hand Sanitizer

Product code : 34700

Manufacturer or supplier's details

Company : Kimberly-Clark Corporation

1400 Holcomb Bridge Road

Roswell 30076-2199 USA

Telephone : 1-888-346-4652

Emergency telephone : 1-877-561-6587

E-mail address Responsi-

ble/issuing person

: sdscontact@kcc.com

Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Eye irritation : Category 2B

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H320 Causes eye irritation.

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

SAFETY DATA SHEET

Scott® Moisturizing Foam Hand Sanitizer

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 74.7323 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 50 - < 70
propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : No hazards which require special first aid measures.

In case of skin contact : If symptoms persist, call a physician.

In case of eye contact : If in eyes, rinse with water for 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Consult a physician if necessary.

Most important symptoms and effects, both acute and

delayed

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: Water spray jet

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

Specific hazards during fire

fighting

Highly flammable liquid and vapor.

Hazardous combustion prod-

ucts

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Ensure adequate ventilation.
Remove all sources of ignition.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

: Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors).

Advice on safe handling : No special precautions required.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

TWA	400 ppm 980 mg/m3	OSHA Z-1
TWA	400 ppm 980 mg/m3	OSHA P0
STEL	500 ppm 1,225 mg/m3	OSHA P0
TWA	400 ppm 980 mg/m3	NIOSH REL
ST	500 ppm 1,225 mg/m3	NIOSH REL

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures : none

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : not required under normal use

Eye protection : not required under normal use

Skin and body protection : not required under normal use

Protective measures : No special protective equipment required.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No information available.

Odor : No information available.

Odor Threshold : No information available.

pH : 5

Melting point/freezing point

Boiling point/boiling range :

SAFETY DATA SHEET

Scott® Moisturizing Foam Hand Sanitizer

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

Flash point : 16 °C

Evaporation rate : No information available.

Burning rate : No data available

Upper explosion limit : 19 %(V)

Lower explosion limit : 2 %(V)

Relative vapor density : No information available.

Relative density : 0.875

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : No information available.

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature : > 425 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 250 mPa.s

Viscosity, kinematic : No information available.

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable

Possibility of hazardous reac-

tions

Keep away from oxidizing agents, and acidic or alkaline

products.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Ingredients:

Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l

Method: OECD Test Guideline 403

GLP: no

propan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 5,840 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm

Exposure time: 6 h

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg

Method: OECD Test Guideline 402

GLP: no

Skin corrosion/irritation

Product:

Result: No skin irritation

Ingredients:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

propan-2-ol:

Species: Rabbit

Method: No information available.

Result: No skin irritation

GLP: no

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

Serious eye damage/eye irritation

Product:

Result: Mild eye irritant

Ingredients:

Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

GLP: no

propan-2-ol:

Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

GLP: no

Respiratory or skin sensitization

Product:

Remarks: Based on available data, the classification criteria are not met.

Ingredients:

Ethanol:

Species: Mouse

Assessment: Does not cause skin sensitization.

Method: OECD Test Guideline 429

Result: Did not cause sensitization on laboratory animals.

GLP: no

propan-2-ol:

Test Type: Buehler Test Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitization on laboratory animals.

GLP: yes

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

STOT-single exposure

Product:

Remarks: Not applicable

STOT-repeated exposure

Product:

Remarks: Not applicable

Aspiration toxicity

Product:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 275

mg/l

Exposure time: 72 h Test Type: static test

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

Test Type: flow-through test

Method: OECD Test Guideline 203

GLP: no

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9,714 mg/l

Exposure time: 24 h Test Type: static test

Method: OECD Test Guideline 202

GLP: no

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

Class : 3
Packing group : II
Labels : 3

IATA-DGR

UN/ID No. : UN 1987 Proper shipping name : Alcohols, n.o.s.

(Ethanol, Isopropanol)

Class : 3 Packing group : II

Labels : <** Description for Danger Label not available: [Z8] Dan-

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

gerLabelNo 3 DG regulation IATA_C **>

Packing instruction (cargo

aircraft)

364

IMDG-Code

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(Ethanol, Isopropanol)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(Ethanol,)

Class : 3 Packing group : II

Labels : <** Description for Danger Label not available: [Z8] Dan-

gerLabelNo 3 DG regulation CFR **>

ERG Code : 127 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

propan-2-ol 67-63-0 4.9995 %

US State Regulations

Massachusetts Right To Know

Ethanol 64-17-5 60 - 70 % propan-2-ol 67-63-0 1 - 5 %

Pennsylvania Right To Know

Ethanol64-17-560 - 70 %Water7732-18-520 - 30 %propan-2-ol67-63-01 - 5 %2-methylpropan-2-ol75-65-00 - 0.1 %

New Jersey Right To Know

Version Revision Date: SDS Number: Date of last issue: -

1.0 10-31-2018 N00103470003 Date of first issue: 10-31-2018

 Ethanol
 64-17-5
 60 - 70 %

 Water
 7732-18-5
 20 - 30 %

 propan-2-ol
 67-63-0
 1 - 5 %

 Siloxanes and Silicones, di-Me, 3 102783-01-7
 1 - 5 %

hydroxypropyl group-terminated, ethoxylated

New York City Hazardous Substances

propan-2-ol 67-63-0 1 - 5 %

California Prop. 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

California List of Hazardous Substances

propan-2-ol 67-63-0

California Permissible Exposure Limits for Chemical Contaminants

propan-2-ol 67-63-0

The ingredients of this product are reported in the following inventories:

All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-


Version **Revision Date:** SDS Number: Date of last issue: -

10-31-2018 N00103470003 Date of first issue: 10-31-2018 1.0

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date 10-31-2018

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8