

Safety Data Sheet

Copyright, 2015, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 09-4549-3
 Version Number:
 26.01

 Issue Date:
 12/29/15
 Supercedes Date:
 08/25/15

SECTION 1: Identification

1.1. Product identifier

SCOTCH BRAND Permanent White Glue Stick 6008, 6015, 6020, 6036, 6040, 003, 0038

Product Identification Numbers

41-3700-5412-8, 41-3700-5422-7, 44-0028-8703-0, 44-0040-0578-9, 44-0040-1352-8, 44-0040-1353-6, 44-0040-1354-4, 44-040-1054-4, 44-040-1054-4, 44-040-1054-4, 44-040-1054-4, 44-040-1054-4, 44-040-1054-4, $0040 - 1355 - 1, \ 44 - 0040 - 5914 - 1, \ 44 - 0040 - 5915 - 8, \ 44 - 0040 - 5916 - 6, \ 44 - 0040 - 5917 - 4, \ 44 - 0040 - 5918 - 2, \ 70 - 0050 - 3211 - 8, \ 70 - 0050$ 0050 - 3431 - 2, 70 - 0050 - 5910 - 3, 70 - 0050 - 7224 - 7, 70 - 0050 - 7729 - 5, 70 - 0051 - 1728 - 1, 70 - 0051 - 1741 - 4, 70 - 0051 - 2122 - 6, 70 - 10051 - 1741 - 10051 - 1000051 - 5315 - 3, 70 - 0051 - 5608 - 1, 70 - 0051 - 7471 - 2, 70 - 0051 - 9075 - 9, 70 - 0051 - 9202 - 9, 70 - 0051 - 9203 - 7, 70 - 0051 - 9343 - 1, 70 - 10051 - 9203 - 7, 70 - 10051 - 70051 - 70051 - 70051 - 70051 - 70051 - 70051 - 70051 - 70051 - 70051 - 9490 - 0, 70 - 0052 - 2858 - 3, 70 - 0052 - 3975 - 4, 70 - 0052 - 3976 - 2, 70 - 0052 - 7436 - 3, 70 - 0709 - 7778 - 3, 70 - 0709 - 7779 - 1, 70 - 7000 -0709-7781-7, 70-0709-7821-1, 70-0709-9201-4, 70-0709-9872-2, 70-0710-2681-2, 70-0710-2705-9, 70-0710-2733-1, 70-0709-9872-1, 70-0709-9872-2, 70-0710-2705-9, 70-0710-2700-9, 70-0700-9, 70-0700-9, 70-0700-9, 70-0700-9, 70-0700-9, 70-0700-0710-3228-1, 70-0710-3366-9, 70-0710-3425-3, 70-0710-3459-2, 70-0710-6564-6, 70-0710-8060-3, 70-0710-8946-3, 70-0710-8060-0710-8951-3, 70-0711-5483-8, 70-0711-7720-1, 70-0711-7786-2, 70-0711-7815-9, 70-0711-7816-7, 70-0712-0526-7, 70-0711-7816-0712-0711-5, 70-0712-0713-1, 70-0712-1480-6, 70-0712-1537-3, 70-0712-1574-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-1593-6, 70-0712-1590-2, 70-0712-150-2, 70-0712-150-2, 70-0712-150-2, 700712 - 1594 - 4, 70 - 0712 - 1599 - 3, 70 - 0712 - 1782 - 5, 70 - 0712 - 1806 - 2, 70 - 0713 - 0376 - 5, 70 - 0713 - 0555 - 4, 70 - 0713 - 0556 - 2, 70 - 0713 - 0566 - 2, 70 - 0713 - 0566 - 2, 70 - 0713 - 2, 70 - 07130713-0776-6, 70-0713-0777-4, 70-0713-0778-2, 70-0713-0779-0, 70-0713-2301-1, 70-0713-4898-4, 70-0713-4977-6, 70-0713-0779-1,0713-4991-7, 70-0713-5009-7, 70-0713-5080-8, 70-0713-5180-6, 70-0713-6175-5, 70-0713-6648-1, 70-0713-6830-5, 70-0713-6830-1, 70-0713-6800-1, 70-0713-6800-1, 70-0713-6800-1, 70-0713-6800-1, 70-0713-6800-1, 70-0713-6800-1,0713-7492-3, 70-0713-7494-9, 70-0713-8108-4, 70-0713-8169-6, 70-0713-8353-6, 70-0713-9121-6, 70-0713-9128-1, 70-0713-1, 0713-9201-6, 70-0713-9381-6, 70-0713-9431-9, 70-0713-9508-4, 70-0714-1826-6, 70-0714-2257-3, 70-0714-2261-5, 70-0714-2261-0714-2291-2, 70-0714-8244-5, 70-0714-9783-1, 70-0715-0364-6, FS-9100-4186-2, FS-9100-4204-3, FS-9100-4205-0, FS-9100-4206-8, FS-9100-4207-6, FS-9100-4208-4, FS-9100-4209-2, FS-9100-4210-0, FT-5101-1068-5, GT-5000-6033-7, GT-5000-8423-8, RT-0009-4779-1, RT-0009-4805-4, RT-0009-4806-2, RT-0009-5890-5, RT-0009-5941-6, WX-3009-0998-2, WX-3009-0999-0, XF-0045-0390-0, XF-0045-0391-8, XF-0045-0392-6

1.2. Recommended use and restrictions on use

Recommended use

Adhesive

1.3. Supplier's details

MANUFACTURER: 3M

DIVISION: Stationery and Office Supplies Division ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

Page 1 of 8

SECTION 2: Hazard identification

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Hazards not otherwise classified

None.

17% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	40 - 55
SUCROSE	57-50-1	20 - 25
ACRYLIC COPOLYMER	None	10 - 20
N-VINYLPYRROLIDINONE POLYMER	9003-39-8	5 - 10
SODIUM STEARATE	822-16-2	5 - 10
GLYCERIN	56-81-5	1 - 5

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

No need for first aid is anticipated.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

Page 2 of 8

5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide

Condition

During Combustion During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
GLYCERIN	56-81-5	OSHA	TWA(as total dust):15	
			mg/m3;TWA(respirable	
			fraction):5 mg/m3	
SUCROSE	57-50-1	ACGIH	TWA:10 mg/m3	A4: Not class. as human
				carcin
SUCROSE	57-50-1	OSHA	TWA(as total dust):15	
			mg/m3;TWA(respirable	
			fraction):5 mg/m3	
STEARATES	822-16-2	ACGIH	TWA:10 mg/m3	A4: Not class. as human

SCOTCH BRAND Permanent White Glue Stick 6008, 6015, 6020, 6036, 6040, 003, 0038 12/29/15

carcin

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No protective gloves required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form: Solid Specific Physical Form: Paste

Odor, Color, Grade: White with fatty acid/acrylic odor.

Odor thresholdNo Data AvailablepHApproximately 10.3Melting pointApproximately 140 °F

Boiling Point 52 - 100 °C **Flash Point** No flash point **Evaporation rate** Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Not Applicable Flammable Limits(UEL) Not Applicable Vapor Pressure 1.07 - 1.12 g/cm3 **Vapor Density Density** 0.95 - 1 g/cm3

Specific Gravity 0.95 - 1.0 [Ref Std: WATER=1]

Solubility in Water
Solubility- non-water
Partition coefficient: n-octanol/ water
Autoignition temperature
Decomposition temperature
Viscosity
Partition coefficient: n-octanol/ water
No Data Available
No Data Available
No Data Available
10,000 - 30,000 poise
Percent volatile
60 - 65 % weight

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

Page 4 of 8

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No known health effects.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
SUCROSE	Ingestion	Rat	LD50 29,700 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Dermal		LD50 estimated to be > 5,000 mg/kg

Page 5 of 8

SCOTCH BRAND Permanent White Glue Stick 6008, 6015, 6020, 6036, 6040, 003, 0038 12/29/15

N-VINYLPYRROLIDINONE POLYMER	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.2 mg/l
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	LD50 100,000 mg/kg
GLYCERIN	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
GLYCERIN	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
N-VINYLPYRROLIDINONE POLYMER	Rabbit	No significant irritation
GLYCERIN	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value	
GLYCERIN	Rabbit	No significant irritation	

Skin Sensitization

Name	Species	Value
N-VINYLPYRROLIDINONE POLYMER	Human	Not sensitizing
GLYCERIN	Guinea	Not sensitizing
	pig	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Name	Route	Value	
N-VINYLPYRROLIDINONE POLYMER	In Vitro	Not mutagenic	

Carcinogenicity

Name	Route	Species	Value
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	Not carcinogenic
GLYCERIN	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Not toxic to development	Rat	NOAEL 5,000 mg/kg/day	during gestation
GLYCERIN	Ingestion	Not toxic to female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
GLYCERIN	Ingestion	Not toxic to male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
GLYCERIN	Ingestion	Not toxic to development	Rat	NOAEL 2,000 mg/kg/day	2 generation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

1	0	0		1 1				
Name			Route	Target Organ(s)	Value	Species	Test Result	Evnosure

Page 6 of 8

						Duration
GLYCERIN	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 3.91 mg/l	14 days
GLYCERIN	Inhalation	heart liver kidney and/or bladder	All data are negative	Rat	NOAEL 3.91 mg/l	14 days
GLYCERIN	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	All data are negative	Rat	NOAEL 10,000 mg/kg/day	2 years

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

Page 7 of 8

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

HMIS Hazard Classification

Health: 0 Flammability: 0 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

 Document Group:
 09-4549-3
 Version Number:
 26.01

 Issue Date:
 12/29/15
 Supercedes Date:
 08/25/15

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com

Page 8 of 8