

Items Applicable to SDS # SP-021

UPC#	ITEM#	DESCRIPTION
77002	BG23RRED	G2 REFILL RED ULTRA FINE 2PK
77003	BG23RGRN	G2 REFILL GREEN ULTRA FINE 2PK
77252	BG27RNVY-6PK	G2 REFILL NAVY FINE 2PK
77253	BG27RPNK-6PK	G2 REFILL PINK FINE 2PK
77254	BG27RTRQ-6PK	G2 REFILL TURQUOISE FINE 2PK
77255	BG27RBRG-6PK	G2 REFILL BURGUNDY FINE 2PK
77256	BG27RORG-6PK	G2 REFILL ORANGE FINE 2PK
77257	BG27RTEA-6PK	G2 REFILL TEAL FINE 2PK
77258	BG27RPWK-6PK	G2 REFILL PERIWINKLE FINE 2PK
77259	BG27RLIM-6PK	G2 REFILL LIME FINE 2PK
77260	BG27RCAR-6PK	G2 REFILL CARAMEL FINE 2PK
77287	BG23RBLK	G2 REFILL 2 PACK BLK ULTRA FINE
77288	BG23RBLU	G2 REFILL BLUE ULTRA FINE 2PK
77289	BG21RBLK	G2 REFILL 2 PACK BLK BOLD PT.
77290	BG21RBLU	G2 REFILL 2 PACK BLU BOLD PT.
77359	BG27RHGR-6PK	G2 REFILL HUNTER GREEN FINE 2PK
77360	BG21RRED	G2 REFILL RED BOLD 2PK
77361	BG21RGRN	G2 REFILL GREEN BOLD 2PK
77362	BG21RPNK	G2 REFILL PINK BOLD 2PK
77363	BG21RPPL	G2 REFILL PURPLE BOLD 2PK
77364	BG21RBRG	G2 REFILL BURGUNDY BOLD 2PK
77365	BG21RTEA	G2 REFILL TEAL BOLD 2PK

SAFETY DATA SHEET

Date of Issue: January 1, 2016
SDS No.: SP-021
Version: 003



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name : BLS-G2 Refill
Product code : BLS-G2-38-B/R/L/G
BLS-G2-5-B/R/L/G/BB/V/P/DR/LB/O/HG/PG/SB/LG/CA
BLS-G2-7-B/R/L/G/BB/V/P/DR/LB/O/HG/PG/SB/LG/CA
BLS-G2-10-B/R/L/G
Mixture name : BLS-G2 Refill-B/R/L/G/BB/V/P/DR/LB/O/HG/PG/SB/LG/CA

1.2. Use of the mixture : Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture / supplier : PILOT CORPORATION
Address : 6-21, Kyobashi 2-chome, Chuo-ku, Tokyo 104-8304 Japan
Telephone number : 03-3538-3700
Working hours (from 09.00am to 05.30pm: Japanese time)
Facsimile number : 03-3538-3909
e-mail address : international@pilot.co.jp

2. HAZARDS IDENTIFICATION

Based on the law and regulation in Japan

.Physical /Chemical hazards : Not applicable.

Environmental hazards : Not applicable.

Effect of exposure : Not applicable.

Symptom of exposure

Inhalation : Intentional exposure to ink vapors may cause respiratory irritation.

Ingestion : May cause upset stomach.

Skin contact : Ink contact with skin may cause irritation, swelling, or redness.
It is not expected to cause an allergic skin reaction.

Eye contact : Ink contact with eye may be mildly irritating.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Based on the law and regulation in Japan

For ink unless otherwise specified

Ingredients	CAS Number	EINECS Number	Weight %	Component
Ethylene glycol	107-21-1	203-473-3	17-24	All Colors
Triethanolamine	102-71-6	203-49-8	1.3-7.0	All Colors

4. FIRST AID MEASURES

- Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.
- Ingestion : Refer for medical attention.
- Skin contact : Wash the affected area under tepid running water using a mild soap.
And refer for medical attention if irritation continues.
- Eye contact : Gently rinse the affected eyes with clean water for at 15 minutes.
And refer for medical attention if irritation continues.
- First aid facilities : Ensure eyewash and water service are available.
- Medical attention
- Local contamination
: In case of skin or eye contamination treat as under First Aid Measures.
- Systemic poisoning
: There is no specific antidote. Treat symptoms.

5. FIRE-FIGHTING MEASURES

- 5.1 Suitable extinguishing media : Not classed as flammable.
In case of fire, use water spray, foam, dry, chemical powder or carbon dioxide.
- 5.2 Extinguishing media which shall not be used for safety. : None.
- 5.3 Special exposure hazards arising from the substance or mixture itself, combustion products : CO₂, CO, NO_x, and SO_x, is produced after combustion.
- 5.4 Special protective equipment for fire-fighters. : Not required.
- 5.5 Additional information :None.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions : Use proper ventilation. Use eye and skin protection.
- 6.2 Environmental precautions : Do not dispose of waste to the sewer.
- 6.3 Methods for cleaning up : Absorb spill with material (cloth or paper), then place in a chemical waste containers.
- 6.4 Additional information :None.

7. HANDLING AND STORAGE

- 7.1. Handling : Avoid rough handling or dropping.
- 7.1.1 Protective measures : Not required in normal use.
- 7.1.2 Measures to prevent aerosol and dust generation : Not required in normal use.
- 7.1.3 Measures required to protect the environment : Not required in normal use.

- 7.1.4 Specific requirements or handling rules : None.
7.1.5 Precautions against fire and explosion : Not required in normal use.
7.2. Storage : Store in a dry, cool, well-ventilated location.
7.3. Specific use(s) : Not use it except the ink for writing instruments.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1. Exposure limit values : Not available.
8.1.1 Occupational exposure controls. : Not available.
8.1.2 Biological limit values. : Not available.
8.1.3 DNEL and PNEC-value(s) as applicable : No data.
- 8.2. Exposure controls
8.2.1. Occupational exposure controls
a) Respiratory protection : Not required in normal use
b) Hand protection : Not required in normal use
c) Eye protection : Not required in normal use
d) Skin protection : Not required in normal use
8.2.2. Environmental exposure controls : No data.

9. PHYSICAL AND CHEMICAL PROPERTIES

For ink unless otherwise specified

9.1. General information

- Appearance : Viscosity liquid
<Color> Black , Red , Blue, Green, Blue Black, Violet, Pink, Dark Red,
Light Blue, Orange, Hunter Green, Peacock Green, Sky Blue,
Lime Green, Caramel
Odor : Slight characteristic.

9.2. Important health, safety and environmental information

- PH : 8-10
Boiling point / boiling range : About 100 degrees Celsius.
Flash point : Boils without flashing.
Flammability (solid, gas) : None.
Explosive properties : None.
Oxidizing properties : None.
Vapor pressure : No data.
Relative density : 1.10-1.12 (at 20 degrees Celsius)
Solubility : Not allocated.
Water solubility : Soluble.
Partition coefficient: n-octanol / water : Not available.
Viscosity : < 2,000 mPa · s (1.9 S⁻¹ ;at 20 degrees Celsius)
Vapor density : No data.
Evaporation rate : No data.

- 9.3. Other information : None.

10. STABILITY AND REACTIVITY

- | | |
|--|----------------------------|
| 10.1. Conditions to avoid | : This material is stable. |
| 10.2. Materials to avoid | : This material is stable. |
| 10.3. Hazardous decomposition products | : No data. |

11. TOXICOLOGICAL INFORMATION

For ink unless otherwise specified

- | | |
|---|------------------------|
| 11.1 Toxicokinetics, metabolism and distribution | : No data. |
| 11.2 Acute effects (acute toxicity, irritation and corrosivity) | : |
| Ethylene glycol | LD50 4,700 mg/kg (rat) |
| Triethanolamine | LD50 8,680 mg/kg (rat) |
| 11.3 Sensitization | : No data. |
| 11.4 Repeated dose toxicity | : No data. |
| 11.5 CMR (carcinogenicity, mutagenicity, and toxicity for reproduction) | : No data. |

12. ECOLOGICAL INFORMATION

- | | |
|-------------------------------------|------------|
| 12.1. Ecotoxicity | : No data. |
| 12.2. Mobility | : No data. |
| 12.3. Persistence and degradability | : No data. |
| 12.4. Bioaccumulative potential | : No data. |
| 12.5. Results of PBT assessment | : No data. |
| 12.6. Other adverse effects | : None. |

13. DISPOSAL CONSIDERATIONS

- Follow all regulations in your country.
- Not hazardous waste.

14. TRANSPORT INFORMATION

- | | |
|-------------------------------------|-------------------|
| 14.1.1 UN number | : Not applicable. |
| 14.1.2 Class | : Not applicable. |
| 14.2.1 Proper shipping name | : Not applicable. |
| 14.3.1 Packing group | : Not applicable. |
| 14.4.1 Marine pollutant | : Not applicable. |
| 14.5.1 Other applicable information | : None. |

15. REGULATORY INFORMATION

Follow all regulations in your country

The law and regulation in Japan

Occupational Safety and Health Act (The 57th 2)

government ordinance number 75 : Ethylene glycol

government ordinance number 381 : Triethanolamine

16. OTHER INFORMATION

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS