



Revision Date 01/21/2020

## **REVISION NUMBER: 8**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier		
Product name	MOLD MASTER	
Other means of identification		
Product code	117582	
UN/ID No.	1824	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Cleaning agent.	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Manufacturer Address		Importer
Rochester Midland Corporation		Rochester Midland Canada Corporation
155 Paragon Drive		143 Mills Road
Rochester, New York 14624 USA		Ajax, ON L1S 2H2
(585) 336-2200		Canada
		905-619-6738
Emergency telephone number		

EMERGENCY TELEPHONE

INFOTRAC: 1-800-535-5053 OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

# 2. HAZARDS IDENTIFICATION

### **Classification**

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.


Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

#### **Emergency Overview**

# DANGER

Hazard statements Causes severe skin burns and eye damage May be corrosive to metals



# Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

## **Precautionary Statements - Storage**

Store locked up Store in corrosive resistant container

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

No information available <u>Other Information</u> Unknown Acute Toxicity

1.51% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Sodium hypochlorite	7681-52-9	1 - 5	*
Sodium Hydroxide	1310-73-2	0.5 - 1.5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

First aid measures	
General advice	Immediately call a POISON CENTER or doctor/physician.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

	with water/shower. Wash contaminated clothing before reuse. Immediate medical attention is required.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Ingestion	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	No information available.
Indication of any immediate medica	I attention and special treatment needed

Note to physicians

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### <u>Specific hazards arising from the chemical</u> No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should be equipped with self-contained breathing apparatus and turn out gear. Cool exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective ec	uipment and emergency procedures
Personal precautions	Ensure adequate ventilation, especially in confined areas.
Environmental precautions	
Environmental precautions	See Section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling DANGER: Concentrated, alkaline liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Read and follow label instructions.

## Conditions for safe storage, including any incompatibilities

Storage ConditionsStore only in original container and keep closed. Store in a cool, dry area. Store in a well<br/>ventilated area. Contents may develop pressure upon prolonged storage; loosen closure<br/>cautiously before opening. Mix only with water. Do not reuse container. Empty containers

may retain product residue, follow SDS/label precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels.

Incompatible materials Mix only with water. Contact with acids and acid-containing cleaners, such as rust removers, vinegar, and toilet bowl cleaners may generate hazardous gases, such as chlorine, along with heat. Interaction with ammonia-containing materials may liberate ammonia gas or chloramine derivatives of ammonia. Do not store or mix with: OXIDIZERS. Acids. Ammonia. Organic matter. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
1310-73-2		TWA: 2 mg/m <sup>3</sup>	
A			

Appropriate engineering controls

ENGINEERING CONTROLS	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Goggles and face shield are recommended to minimize eye contact.
Skin and body protection	Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.
RESPIRATORY PROTECTION	None normally required. Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Clear Amber No information available	Odor Odor threshold	Floral scent. No information available
<u>Property</u> pH	<u>Values</u> 13.0	Remarks • Method +/05	
Melting point/freezing point	No information available	.,	
Boiling point / boiling range Flash point	100 °C / 212 °F -	None to boiling.	
Evaporation rate Flammability (solid, gas)	No information available No information available		
Flammability Limit in Air			
Upper flammability limit: Lower flammability limit:	No information available No information available		
Vapor pressure	No information available		
Vapor density Specific gravity	No information available 1.07 - 1.09		

Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

**Other Information** 

Softening point VOC (EPA METH.24) (G/L): Density Bulk density No information available No information available

No information available 0.84 9.0 lbs./gal (1.08 kg/l) No information available

# **10. STABILITY AND REACTIVITY**

REACTIVITY

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

## **CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

Mix only with water. Contact with acids and acid-containing cleaners, such as rust removers, vinegar, and toilet bowl cleaners may generate hazardous gases, such as chlorine, along with heat. Interaction with ammonia-containing materials may liberate ammonia gas or chloramine derivatives of ammonia. Do not store or mix with:. OXIDIZERS. Acids. Ammonia. Organic matter. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

## Hazardous Decomposition Products

Chlorine gas. Oxygen.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Causes severe	e skin burns and eye dar	nage.	
Inhalation	Causes burns.			
Eye contact	Corrosive to th	e eyes and may cause s	severe damage including b	lindness.
Skin contact	Causes burns.			
Ingestion	Causes burns.			
PRODUCT COMPOSITION		Oral   D50	Dermal I D50	Inhalation

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hypochlorite	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
7681-52-9			
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

## Information on toxicological effects

#### Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information No information No information	n available.			
PRODUCT COMPOSITION		ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9		-	Group 3	-	-
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard	No information available. No information available. No information available. No information available.				
Numerical measures of toxicity - F	Product Inform	ation_			
Unknown Acute Toxicity The following values are calculated ATEmix (oral) ATEmix (dermal)		apter 3.1 of the Gl	f ingredient(s) of unkr <b>IS document</b> .	own toxicity	

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

4.57% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Sodium hypochlorite	-	4.5 - 7.6: 96 h Pimephales	0.033 - 0.044: 48 h Daphnia
7681-52-9		promelas mg/L LC50 static	magna mg/L EC50 Static
		0.06 - 0.11: 96 h Pimephales	
		promelas mg/L LC50	
		flow-through 0.4 - 0.8: 96 h	
		Lepomis macrochirus mg/L	
		LC50 static 0.28 - 1: 96 h	
		Lepomis macrochirus mg/L	
		LC50 flow-through 0.05 -	
		0.771: 96 h Oncorhynchus	
		mykiss mg/L LC50	
		flow-through 0.03 - 0.19: 96	
		h Oncorhynchus mykiss	
		mg/L LC50 semi-static 0.18 -	
		0.22: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus	-
1310-73-2		mykiss mg/L LC50 static	

### Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.Contaminated packagingDo not reuse container.

# **14. TRANSPORT INFORMATION**

DEPT. OF TRANSPORTATION UN/ID No. Proper shipping name Hazard Class Packing Group Description	1824 SODIUM HYDROXIDE SOLUTION 8 II 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.
TDG	
	1894

UN/ID No.	1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not Comply
ENCS	Does not Comply
IECSC	Complies
KECL	Does not Comply
PICCS	Does not Comply
AICS	Does not Comply

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	No
Sudden release of pressure hazard	No
REACTIVE HAZARD	YES

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Sodium hypochlorite	100	
7681-52-9		
Sodium Hydroxide	1000	
1310-73-2		

## US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Sodium hypochlorite 7681-52-9	Listed	Listed	Listed
Sodium Hydroxide 1310-73-2	1706	Listed	Listed

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical Properties ALKALI <u>HMIS</u> Health hazards 3 Flammability 0 Physical hazards 1 Personal protection C

 Prepared By
 EH&S DEPARTMENT

 Revision Date
 01/21/2020

 Revision Note
 01/21/2020

 Minor revisions for Canadian GHS compliance.
 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## \*\*\* END OF SDS \*\*\*