

SAFETY DATA SHEET

Revision Date 02/18/2020 REVISION NUMBER: 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name PROXI SPRAY & WALK AWAY

Other means of identification

Product code 118493 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

Rochester Midland Corporation Rochester Midland Canada Corporation

155 Paragon Drive 143 Mills Road Rochester, New York 14624 USA Ajax, ON L1S 2H2

(585) 336-2200 Canada 905-619-6738

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes skin irritation Causes serious eye damage



Appearance Clear, Colorless Physical state Liquid **Odor** Nondescript

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

No information available Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Hydrogen Peroxide	7722-84-1	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Immediately call a POISON CENTER or doctor/physician. General advice

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/ attention. Remove contaminated clothing and launder before reuse.

Inhalation IF INHALED: Remove to fresh air.

Ingestion IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

No information available. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray or fog is preferred; if water not available use dry chemical, CO2 or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Toxic vapors are emitted in a fire condition. Firefighters should be equipped with self-contained breathing apparatus and turn out gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with eyes, skin and clothing. Avoid prolonged contact. Keep out of reach of

children. Read and follow label instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area.

Incompatible materials Contact with iron. Contact with copper. Brass. Nickel.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

=xpccarc caracinisc			
PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Peroxide			75 ppm
7722-84-1	(vacated) TWA: 1.4 mg/m ³		
		TWA: 1 ppm	
		TWA: 1.4 mg/m ³	

Appropriate engineering controls

ENGINEERING CONTROLS Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses are recommended to minimize eye contact.

Skin and body protectionChemical resistant gloves are recommended to minimize skin contact. It is the responsibility

of the end user of this product to determine level of PPE required that is consistent with

safe use of this product.

RESPIRATORY PROTECTION NIOSH approved respirator if spray mist in air causes irritation.

Handle in accordance with good industrial hygiene and safety practice. **General Hygiene Considerations**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Physical state

Appearance Clear, Colorless Odor Nondescript

Color Colorless Odor threshold No information available

None to boiling.

Property Values Remarks • Method

7.95 Hq +/- 0.2

No information available Melting point/freezing point

Boiling point / boiling range 100 °C / 212 °F

Flash point **Evaporation rate** No information available

Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific gravity 1.016 - 1.036

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dvnamic viscosity** No information available

Explosive properties No information available **Oxidizing properties** No information available

Other Information

Softening point No information available

VOC (EPA METH.24) (G/L):

Density 8.55 lbs./gal (1.03 kg/l) **Bulk density** No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Contact with iron. Contact with copper. Brass. Nickel.

Hazardous Decomposition Products

Oxygen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Serious eye damage/eye irritation.

Inhalation May cause irritation of respiratory tract.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes skin irritation.

Ingestion Large amounts may cause irritation, nausea, diarrhea.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Peroxide	= 801 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 2 g/m³ (Rat) 4 h
7722-84-1	,]	- ` '

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
Hydrogen Peroxide	A3	Group 3	=	-
7722-84-1				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 16863 mg/kg
ATEmix (dermal) 42105 mg/kg
ATEmix (inhalation-dust/mist) 31.6 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.4% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Hydrogen Peroxide	-	16.4: 96 h Pimephales	18 - 32: 48 h Daphnia
7722-84-1		promelas mg/L LC50 10.0 -	magna mg/L EC50 Static
		32.0: 96 h Oncorhynchus	
		mykiss mg/L LC50 static 18 -	
		56: 96 h Lepomis	
		macrochirus mg/L LC50	
		static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION

Proper shipping name Not Regulated by DOT

TDG

Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD

CHRONIC HEALTH HAZARD

FIRE HAZARD

Sudden release of pressure hazard

REACTIVE HAZARD

YES

No

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Hydrogen Peroxide 7722-84-1	-	1000

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Hydrogen Peroxide		Listed	Listed
7722-84-1			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 2 Flammability 0 Instability 1

Physical and Chemical Properties -

HMIS

Health hazards 2
Flammability 0
Physical hazards 1
Personal protection B

Prepared By EH&S DEPARTMENT

Revision Date 02/18/2020

Revision Note

Revised the physical properties in Section 9.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***