according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Recommended use : Air Freshener

supplier

Manufacturer, importer, : S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No. | Weight percent |
|-----------------------------|------------|----------------|
| Calcium carbonate | 1317-65-3 | 60.00 - 100.00 |
| Crystalline Silica (Quartz) | 14808-60-7 | 1.00 - 5.00 |

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Further information : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid breathing dust.

Avoid dust formation.

Wash thoroughly after handling.

Environmental

precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Sweep up and shovel into suitable containers for disposal.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

Storage

Requirements for storage: Keep container closed when not in use.

areas and containers

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

| Components | CAS-No. | mg/m3 | ppm | Non- standard units | Basis |
|--------------------------------|------------|-------------|-----|---------------------------|--------------|
| Calcium carbonate | 1317-65-3 | 5 mg/m3 | - | - | OSHA TWA |
| Calcium carbonate | 1317-65-3 | 15 mg/m3 | - | - | OSHA TWA |
| Crystalline Silica (Quartz) | 14808-60-7 | 0.025 mg/m3 | - | - | ACGIH TWA |

Personal protective equipment

Respiratory protection Use only with adequate ventilation.

Substantial amounts of dust can be controlled with local

exhaust ventilation or respiratory protection.

Dust safety masks are recommended when the dust

concentration is more than 10 mg/m3.

Hand protection : No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Color : white

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Print Date 03/04/2015 Version 1.2

Revision Date 02/24/2015 SDS Number 350000003806

Odor Fruity Floral

Odour Threshold : Test not applicable for this product type

рΗ : Test not applicable for this product type

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and

boiling range

: Test not applicable for this product type

Flash point : Test not applicable for this product type

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Does not sustain combustion.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.3 g/cm3 at 25 °CCalculated

Solubility(ies) : negligible

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

Decomposition temperature: Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic : 0.1 % - additional exemptions may apply

Compounds *as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : None known.

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50

estimated > 5,000 mg/kg

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

Acute inhalation toxicity : LC50

estimated > 5 mg/l

Acute dermal toxicity : LD50

estimated > 2,000 mg/kg

| GHS Properties | Classification | Routes of entry |
|--|----------------------------|-----------------|
| Acute toxicity | No classification proposed | - |
| Acute toxicity | No classification proposed | - |
| Acute toxicity | No classification proposed | - |
| Skin corrosion/irritation | No classification proposed | - |
| Serious eye damage/eye irritation | No classification proposed | - |
| Skin sensitisation | No classification proposed | - |
| Respiratory sensitisation | No classification proposed | - |
| Germ cell mutagenicity | No classification proposed | - |
| Carcinogenicity | No classification proposed | - |
| Reproductive toxicity | No classification proposed | - |
| Specific target organ toxicity - single exposure | No classification proposed | - |
| Specific target organ toxicity - repeated exposure | No classification proposed | - |
| Aspiration hazard | No classification proposed | - |

Aggravated Medical : None known.

Condition

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

| Components | End point | Species | Value | Exposure time |
|-----------------------------|----------------------|---------|-------|---------------|
| Calcium carbonate | No data available | | | |
| Crystalline Silica (Quartz) | No data available | | | |

Toxicity to aquatic invertebrates

| Components | End point | Species | Value | Exposure time |
|-----------------------------|----------------------|---------|-------|---------------|
| Calcium carbonate | No data available | | | |
| Crystalline Silica (Quartz) | No data available | | | |

Toxicity to aquatic plants

| Components | End point | Species | Value | Exposure time |
|-----------------------------|-------------------|---------|-------|---------------|
| Calcium carbonate | No data available | | | |
| Crystalline Silica (Quartz) | No data available | | | |

Persistence and degradability

| i crosscribe and acgradability | | | |
|--------------------------------|-------------------|---------------|---------|
| Component | Biodegradation | Exposure time | Summary |
| Calcium carbonate | No data available | | |
| Crystalline Silica (Quartz) | No data available | | |

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

Bioaccumulative potential

| Component | Bioconcentration factor (BCF) | Partition Coefficient n- Octanol/water (log) |
|-----------------------------|-------------------------------|---|
| Calcium carbonate | No data available | No data available |
| Crystalline Silica (Quartz) | No data available | No data available |

Mobility

| Component | End point | Value |
|-----------------------------|-------------------|-------|
| Calcium carbonate | No data available | |
| Crystalline Silica (Quartz) | No data available | |

PBT and vPvB assessment

| Component | Results |
|-----------------------------|--------------------------------------|
| Calcium carbonate | Not fulfilling PBT and vPvB criteria |
| Crystalline Silica (Quartz) | Not fulfilling PBT and vPvB criteria |

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

| niviio katings | |
|----------------|---|
| Health | 1 |
| Flammability | 0 |
| Reactivity | 0 |

NFPA Ratings

| NEFA Ratiligs | | |
|---------------|---|--|
| Health | 1 | |
| Fire | 0 | |
| Reactivity | 0 | |
| Special | - | |
| I | | |

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® CARPET & ROOM - HAWAIIAN BREEZE®

Version 1.2 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000003806

product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

| Prepared by | SC Johnson Global Safety Assessment & |
|-------------|---------------------------------------|
| | Regulatory Affairs (GSARA) |