

32" Outdoor P-Cap Touch and Non-Touch Display with Android 8.1 OS

MOT-32080CH, MOT-32080H

Touch

Non-touch



A diverse and durable 1500 NIT outdoor display with a beautifully vibrant picture.

32" Outdoor Display with Android

Mimo Monitors is proud to introduce another display, in a line of many small format touch displays designed for optimum outdoor performance. Durable, reliable, and beautifully vibrant, this small format outdoor display is available with an Android player and works at an extended temperature range, from -20c to 60c (-4F to 140F) degrees, making it ideal year-round, no matter the temperature. To protect from the elements ranging from water, moisture, sand, dust and insects, this commercial display is IP65 rated, allowing for hard use in nearly every weather condition. With 1500 nits of light, this display offers stunning, clear, crisp and easy to see visuals both in sunlight and ambient lighting. For added impact the light sensor adjusts the display's brightness during cloudy days and at nighttime to optimize power consumption ensuring an ideal viewing experience. The Mimo Outdoor High Bright Displays are the perfect digital signage for amusement parks, sports arenas, quick service restaurant orders, outdoor kiosks, gas stations and many more commercial applications.

Features:

- IP65 rating
- Optic bonding to reduce glare
- High bright, vivid screen
- PCAP touch - optional MOT-32080CH
- Wide operating temperature for very hot and very cold conditions
- Anti-glare cover glass
- VESA 200 mounting holes
- Optically bonded

Applications:

- Outdoor interactive digital signage
- Outdoor interactive wayfinding
- Outdoor menu boards with ordering capability
- Outdoor stadiums
- Outdoor amusement parks
- Outdoor restaurants
- Outdoor transportation
- Outdoor service and gas stations
- Food trucks





Build for long term use and support

The Mimo Outdoor Display with Android is designed and supported as a long term commercial product. The external specifications and tooling are controlled to ensure a long product life, which is crucial for maintaining continuity for all phases of project rollouts and service.

RK3288 Quad Core ARM A17

The RK3288 platform is integrated with a Quad-Core Cortex-A17 with speed up to 1.8GHz and the ARM Mali-T764 GPU which supports OpenGL ES1.1/2.0/3.0, openVG1.1, OpenCL and DirectX11

so all graphic intensive apps are fluid and lifelike. All this, combined with 2GB of dual-channel DDR3 memory, distinguishes our display from other solutions.

Android 8.1 OS, license free

The quad-core with Android 8.1 OS has accelerated webpage opening speed by 50%, app installation speed by 25%, app loading speed by 16%, video and photo loading speed by 30%. The Mimo Outdoor Display with Android can be installed with applications downloaded from Android Market for different customized demands.

High-quality tempered glass multi-touch panel

The Mimo Outdoor Display with Android features a 10 point multi-touch projected capacitive panel. The capacitive touch panel is made of scratch-free tempered glass, and produced with a double-deck glass process and advanced laser carving. The touch panel responds fast and accurately without dead corners, allowing users to easily interact with your designed app.

VESA mount, wired Ethernet

The Mimo Outdoor Display with Android is designed with VESA 100x100 mounting holes on the back. In addition to the built-in Wi-Fi, our display comes with a wired RJ45 Ethernet connection.

Play Full HD video smoothly, support, Flash & HTML5

The Mimo Outdoor Display with Android plays 4k videos smoothly, and is compatible with 480P, 720P, and 1080p videos in all kinds of formats: TS, H.264, WMV, MPEG4, etc. The display supports Adobe Flash 11.0 and HTML5 animation technology, and can easily access dynamic webpage, and on-line videos or games.

The best equipped commercial and retail display

The Mimo Outdoor Display with Android is fully equipped with all the typical tablet functions for running advanced and sophisticated client applications, offering users a rich and interactive experience.

Elegant, Light, Durable, Modern, Professional

The Mimo Outdoor Display with Android is designed with a high-quality aluminum case with modern thin bezel design, thus greatly improving scratch resistance.


Product Specifications

DISPLAY	Display	32" horizontal
	Resolution	1920 x 1080
	Brightness	1500 NITS
	Contrast	1000:1
	Aspect Ratio	16:9
	Optic Bonded	Yes
	Viewing Angle	85/85/85/85
	I/O	Ethernet, HMDI, VGA, USB
	Touch	10-point P-Cap
	Power	100-240VAC (Touch)
	IP Rating	IP65
	Operating Temperature	-20c to 60c (-4F to 140F)
	Product Dimensions	775x470x73mm

Technical Specifications


Media Format	Video	MKV, TS, FLV, AVI, VOB, MPG, DAT, ASF, RM, MOV, 3GP, MP4, WMV
	Audio	MP2, WMA, WAV, AAC, OGG, ASF
	Picture	JPG, BMP, GIF
Ethernet	RJ45	10/100/1000Mbps LAN
Wireless	Wi-Fi	802.11 a/b/g/n/ac Dual Band 2.4 and 5.0 GHz
	Bluetooth	BT4.0
Camera	Front	Front: 5M pixels (optional)
OSD Function Keys	Keys button	+, -, Up, Down, Menu/Enter
Hardware Systems	CPU	Cortex-A17, Quad Core, up to 1.8 GHz
	DRAM Memory	2GB DDR3 SDRAM
	Storage Memory	8GB eMMC Flash
	External Memory	SD Card (SDHC Class10 compatible)
	Software / OS	Android 8.1
General Information	Case design	Body and cover are black metal
	Dimensions without add-ons	Width: 536.6mm x Height: 330.2mm x Depth: 44.5mm
	Mounting	200mm x 200mm VESA mounting screw holes
	Clock Battery (for RTC)	Lithium-ion non-rechargeable coin battery
	Storage Temp	-20c to 60c (-4F to 140F)
	Working Temp	-20c to 60c (-4F to 140F)
	Storage / Working Humidity	10 – 100% non-condensing
	MTBF	50,000 hours demonstrated
	Warranty	1 years
	Certifications	FCC, CE, & RoHS

Product Pictures



Mechanical Design

1. USB Touch
2. Audio 3.5mm
3. VGA
4. Power
5. HDMI out
6. R545 Ethernet
7. OSD
8. VESA 200 Mount Holes



Mimo Monitors
743 Alexander Rd. Suite 15
Princeton, NJ 08540

info@mimomonitors.com
Sales: **1-855-YES-MIMO (937-6466)**

2021-1108
Rev 2 - 80381