

4XEM's 3-Port Mini DisplayPort to DisplayPort Multi-Monitor Hub

4XEM Part- 4XMST06



Need more monitors connected but don't have the ports? 4XEM's 3-port mini-DP to DP multi-monitor hub is a premier solution for that problem. This device offers the ability to increase your productivity by utilizing up to 3 separate screens in conjunction with your main device. Connect, up to, three DisplayPort monitors to your device to expand your work or play station to new heights. Supporting the ability to mirror and extend displays you also can adjust the displays as you see find. Such display applications can include spanning spreadsheets over monitors, panoramic viewing, and editing audio and video clips to name a few. Spread out your displays and working capabilities with 4XEM's multi-monitor hubs.

Problem it solves: Connect three devices to your mini-DisplayPort enabled display easily with one convenient device.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- 3 DisplayPort port
- Mini DisplayPort connector
- Supports Extended and Duplicate screen modes
- Supports 8K uncompressed video resolution (7680x4320 @ 30Hz)
- Supports 4K ultra-HD video (3840x2160 @ 120Hz)
- Supports Ultra-wide displays
- Micro USB power cable
- Windows 10 compatible
- Lightweight and portable design



Application

- Home theatre
- Office
- Business Presentations
- Multi-screen display

4XEM Products Are Available At Your Favorite Online Retailers





DATA SHEET

Warranty Information	Warranty	1 Year
Hardware	Chipset ID	Synaptics VMM5330 Winbond W25Q40CL
	Max Uncompressed Bandwidth Industry Standards	HBR3 - 32.4Gbps/25.92Gbps DisplayPort 1.1a/1.4 HDCP1.4/2.2 DSC 1.2
Connector(s)	Connector A (Source) Connector B (Display) Other	Mini DisplayPort - Male DisplayPort++ (x3) - Female Micro-USB - Female (Power Only)
Performance	Audio Specifications Maximum Digital Resolutions	Up to 32 Channels 7680x4320 (8K), 30Hz, 8bpc (Uncompressed) 3840x2160 (4K), 120Hz, 8bpc (Uncompressed)
Software	OS Compatibility	Windows 10
Power	Power Source Input Voltage Power Consumption	USB 5V DC @ 2A 10W
Physical Characteristics	Colour	Grey
	Shell Material	Aluminium
	Power Cable Length	29.72 in [755 mm]
	Attached Cable Length	6.50 in [165 mm]
	Product Height	0.57 in [14.5 mm]
	Product Width	3.31 in [84.2 mm]
	Product Length (Body)	2.02 in [51.2 mm]
	Product Length (Overall)	10.20 in [259 mm]
Packaging Information	Weight of Product	2.89 oz [82 g]
	Package Type	Poly-bag
	Package Height	7.76 in [197 mm]
	Package Width	5.83 in [148 mm]
	Package Length	0.64 in [16.2 mm]
	Shipping (Package) Weight	3.74 oz [106 g]
What's in the Box	Included in Package	1x 3-port DisplayPort MST Hub 1x Micro-USB Power Cable
	System Requirements Notes	"DisplayPort 1.2 with MST+HBR2 support from the GPU is required for independent display output. DisplayPort 1.4 support from GPU required for increased bandwidth and use of DSC." "Combined bandwidth of all output streams cannot exceed that of the available input bandwidth. External power supply required for proper operation. When plugged into a DisplayPort 1.1a host, the 4XMST02 can aggregate all downstream displays to act as a single display."

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com**

