

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product information

**Product name** : SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner

**Recommended use** : Hard Surface Cleaner Oven Cleaner

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +1 8005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour Transport Emergency Phone: (800)424-9300

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

#### Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 2	Causes skin irritation.
Eye irritation	Category 2A	Causes serious eye irritation.

### Labelling

**Hazard symbols**  
Exclamation mark

**Signal word**  
Warning

**Hazard statements**  
Causes skin and eye irritation.

**Precautionary statements**  
If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Specific treatment (see supplemental first aid instructions on this label).

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Wear protective gloves.

Wash hands thoroughly after handling.

**Other hazards** : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Benzyl alcohol	100-51-6	1.00 - 5.00
Sodium C14-17 Alkyl Sec Sulfonate	Mixture 68608-26-4	1.00 - 5.00
Diisopropanolamine	110-97-4	1.00 - 5.00
Ethyleneglycol Monohexylether	112-25-4	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

### 4. FIRST AID MEASURES

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Skin contact** : Wash off with plenty of water. Take off contaminated clothing and wash before reuse.

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292  
GEN\_SOF Number 72683

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Container may melt and leak in heat of fire.
- Further information** : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Wear personal protective equipment. Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Dike large spills. Clean residue from spill site.

---

**7. HANDLING AND STORAGE**

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Wash thoroughly after handling.
- Advice on protection against fire and explosion** : Normal measures for preventive fire protection.
- Storage**
- Requirements for storage** : Keep container closed when not in use.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292  
GEN\_SOF Number 72683

areas and containers

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

**Personal protective equipment**

- Respiratory protection** : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
- Hand protection** : Wear suitable gloves.
- Eye protection** : Safety glasses with side-shields
- Skin and body protection** : No special requirements.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form** : liquid
- Color** : Straw-Colored
- Odor** : Citrus
  
- Odour Threshold** : Test not applicable for this product type
  
- pH** : 11  
alkaline
  
- Melting point/freezing point** : Test not applicable for this product type
- Initial boiling point and** : Test not applicable for this product type

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292  
GEN\_SOF Number 72683

**boiling range**

**Flash point** : does not flash

**Evaporation rate** : Test not applicable for this product type

**Flammability (solid, gas)** : Test not applicable for this product type

**Upper/lower flammability or explosive limits** : Test not applicable for this product type

**Vapour pressure** : Test not applicable for this product type

**Vapour density** : Test not applicable for this product type

**Relative density** : 1 g/cm<sup>3</sup> at 25 C

**Solubility(ies)** : completely soluble

**Partition coefficient: n-octanol/water** : Test not applicable for this product type

**Auto-ignition temperature** : Test not applicable for this product type

**Decomposition temperature** : Test not applicable for this product type

**Viscosity, dynamic** : Test not applicable for this product type

**Viscosity, kinematic** : Test not applicable for this product type

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

**Oxidizing properties** : Test not applicable for this product type

**Volatile Organic Compounds** : 0.1 % - additional exemptions may apply  
**Total VOC (wt. %)\*** \*as defined by US Federal and State Consumer Product Regulations

**Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

**Reactivity** : No dangerous reaction known under conditions of normal use.

**Chemical stability** : Stable under recommended storage conditions.

**Possibility of hazardous reactions** :

**Possibility of hazardous reactions** : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.

**Conditions to avoid** : Direct sources of heat.

**Incompatible materials** : Do not mix with bleach or any other household cleaners. Strong bases

**Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

---

**11. TOXICOLOGICAL INFORMATION**

**Emergency Overview** : Warning

**Acute oral toxicity** : LD50 > 5000 mg/kg

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292  
GEN\_SOF Number 72683

**Acute inhalation toxicity** : LC50 > 10 mg/L

**Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin irritation	Category 2	-
Eye irritation	Category 2A	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

**12. ECOLOGICAL INFORMATION****Product :** The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h
	NOEC QSAR	Fish	48.897 mg/l	30 d
Sodium C14-17 Alkyl Sec Sulfonate	LC50	Danio rerio (zebra fish)	1 - 10 mg/l	96 h
Diisopropanolamine	LC50	Danio rerio (zebra fish)	1,466 mg/l	96 h
Ethylenglycol Monohexylether	static test LC50	Pimephales promelas (fathead minnow)	140 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

	semi-static test NOEC	Daphnia magna	51 mg/l	21 d
Sodium C14-17 Alkyl Sec Sulfonate	EC50	Daphnia magna (Water flea)	9.81 mg/l	48 h
Diisopropanolamine	EC50	Daphnia magna Straus	277.7 mg/l	48 h
Ethyleneglycol Monohexylether	static test EC50	Daphnia magna (Water flea)	145 mg/l	48 h

### Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Benzyl alcohol	Static NOEC	Pseudokirchneriella subcapitata (microalgae)	310 mg/l	72 h
Sodium C14-17 Alkyl Sec Sulfonate	EC50	Desmodesmus subspicatus (green algae)	> 61 mg/l	72 h
Diisopropanolamine	EC50	Desmodesmus subspicatus (green algae)	339 mg/l	72 h
Ethyleneglycol Monohexylether	static test EC50	Desmodesmus subspicatus (green algae)	147.128 mg/l	96 h

### Persistence and degradability

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

Component	Biodegradation	Exposure time	Summary
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable.
Sodium C14-17 Alkyl Sec Sulfonate			
Diisopropanolamine	94 %	28 d	Readily biodegradable.
Ethyleneglycol Monohexylether	96.8 %	20 d	Readily biodegradable.

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Benzyl alcohol	1.37 estimated	1.1
Sodium C14-17 Alkyl Sec Sulfonate	No data available	
Diisopropanolamine	3.16 estimated	-0.79
Ethyleneglycol Monohexylether	5.8 estimated	1.97

**Mobility**

Component	End point	Value
Benzyl alcohol	Koc	13
Sodium C14-17 Alkyl Sec Sulfonate	No data available	
Diisopropanolamine	Koc	43 estimated
Ethyleneglycol Monohexylether	Koc	10 estimated

**PBT and vPvB assessment**

Component	Results
Benzyl alcohol	Not fulfilling PBT and vPvB criteria
Sodium C14-17 Alkyl Sec Sulfonate	Not fulfilling PBT and vPvB criteria

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292  
GEN\_SOF Number 72683

Diisopropanolamine	Not fulfilling PBT and vPvB criteria
Ethyleneglycol Monohexylether	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

---

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

---

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Land transport**

Not classified as dangerous in the meaning of transport regulations.

**Sea transport**

Not classified as dangerous in the meaning of transport regulations.

**Air transport**

Not classified as dangerous in the meaning of transport regulations.

---

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**State Right To Know**

Massachusetts RTK	Benzyl alcohol	100-51-6
-------------------	----------------	----------

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

	Diisopropanolamine	110-97-4
Minnesota HSL	Benzyl alcohol	100-51-6
No components are subject to the New Jersey "Right To Know" Act		
Pennsylvania RTKL	Water	7732-18-5
	Benzyl alcohol	100-51-6
	Diisopropanolamine	110-97-4
	Sodium sulfate	7757-82-6
	Sodium hydroxide	1310-73-2

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	2
<b>Flammability</b>	0
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	2
<b>Fire</b>	0
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC Johnson Professional® Fantastik® Max Oven & Grill Cleaner**

Version 3.0

Print Date 12/04/2025

Revision Date 02/06/2025

SDS Number 350000024292

GEN\_SOF Number 72683

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--